




## GL-25 ALUMINIUM GIMBAL

The gimbal is designed for usage with large telephoto lenses in combination with **DSLR & DSLM cameras and camcorders**. Allows smooth, horizontal and vertical panning. The gimbal is designed for usage with large telephoto lenses in combination with DSLR & DSLM cameras and camcorders. Allows smooth, horizontal and vertical panning.

- Suitable for telephoto lenses with tripod clamp with 1/4" mount
- 3/8" tripod socket for connection to an optional tripod
- Height-adjustable platform with scale, vertically tiltable
- Long quick release plate 1/4" with long slot and safety lock, Arca Swiss compatible, rotates horizontally
- Made of high-quality, anodised aluminium
- Maximum loading capacity: app. 8 kg
- Dimensions: Height approx. 230 mm, width approx. 90 mm
- Quick release plate: Length approx. 150 mm, width approx. 40 mm
- Weight: app. 1460 g



Item	Item No	GTIN13	MSRP €
GL-25 Aluminium Gimbal	395025	4000461086724	179,00



## GL-24C CARBON GIMBAL

Perfectly suitable for video filming with **DSLR & DSLM cameras and camcorders**. Allows smooth, horizontal and vertical panning.

- $\frac{3}{8}$ " tripod socket for connection to an optional tripod
- Height-adjustable platform with scale
- Quick release plate  $\frac{1}{4}$ " with safety lock, Arca Swiss compatible, vertically tiltable
- 360° Panorama panning with scale
- 2 spirit levels for horizontal and vertical camera alignment
- Made of high-quality, lightweight Carbon
- Maximum loading capacity: app. 8 kg
- Measurements (HxLxW): app. 250 x 190 x 110 mm
- Weight: app. 1035g



Item	Item No	GTIN13	MSRP €
GL-24C Carbon Gimbal	395024	4000461087295	349,00



## MINI RS-265 STEADYCAM

The compact aluminium Steadycam is well suited for filming with **compact cameras, DSLMs, small camcorders and action cams**. The Mini RS-265 allows fluent, steady and blur-free filming while the filming person and the camera are on the move.

- The rubberized grip can be rotated by 360° and height adjusted for an optimum balance point of the camera
- Rubberized camera plate ¼" with long slot and quick release safety system as well as fine adjustments in all 4 directions
- 2 counter weights ensure an optimum camera positioning and a firm support when recording
- Maximum loading capacity: app. 1,5 kg
- Supplied with case and 2 counter weights
- Height: max. app. 275 mm
- Weight :app. 110 g (without counterweights)



Item	Item No	GTIN13	MSRP €
Mini RS-265 Steadycam	395022	4000461087271	99,00



## RS-1250 STEADYCAM

The aluminium Steadycam is well suited for filming with **DLSM & DSLR cameras as well as small camcorders**. The RS-1250 smooth panning and steady, blur-free filming, while the filming person and the camera are on the move.

- The rubberized grip can be rotated by 360° and height adjusted for an optimum balance point of the camera
- Rubberized camera plate ¼" (additional ⅜" mount) with long slot and quick release safety system and fine adjustments in all 4 directions
- 3-section monopod with 2 extensions
- 4 counter weights ensure an optimum camera positioning and a firm support when recording
- Removable foot stand to place the counterweights, with rubber tips/spikes
- 2 spirit levels for horizontal and vertical camera alignment
- Maximum loading capacity: 4 kg
- Supplied with 4 counter weights and case
- Height: max. 1250 mm / min. 540 mm
- Weight: 2210 g (without counter weights)



Item	Item No	GTIN13	MSRP €
RS-1250 Steadycam	395023	4000461087288	269,00





## MD-5 MOTORIZED DOLLY

The MD-5 Dolly allows professional straight forward and reverse as well as cornering tracking shots in combination with **DSLR and DSLM cameras**.

- Ideal for smooth and blur-free camera tracks at close to earth level or on a shooting table
- 3 low noise rubberized wheels
- Forward and reverse tracks and cornering tracks in 5 selectable speeds: 4/7/11/17/24 mm per second
- 360° all-round shootings are possible
- Scale for precise adjustment of the steering angle, also for repeated shootings
- Maximum loading capacity: 4 kg
- Camera mount 1/4", 2 further mounts each 1/4" and 3/8"
- Can be used with video panheads and ball heads
- Integrated long-life battery Li-Ion 14430, 3,7 V, 650 mAh, charging via the supplied USB cable
- Operation time: 1 h with maximum load and fully charged battery
- Material: Aluminum and plastic
- Supplied with camera screw 1/4" and USB charging cable
- Dimensions: app. 145 x 120 x 60 mm
- Weight: approx. 245 g



Item No	Item No	GTIN13	MSRP €
MD-5 Motorized Dolly	395132	4000461087332	139,90



## TT-2540 TURNTABLE

The turntable is ideal for presentation of objects as well as for 360° shootings, e.g. of products or many other objects. Well suited for the use with a smartphone, DSLR and DSLM camera as well as for camcorders. Using an optional software, a unique 3D shot can be created. Fitted with 4 rubberized feet, the turntable stands steadily.

### SPECIFICATIONS

Table diameter	app. 25 cm
Height	app. 6 cm
Rotation speed	360° rotation within (+/- 5 Sec.)
Maximum loading capacity	app. 20 kg
Weight	app. 1260 g
Power supply	AC 230V, 50-60 Hz



Item	Item No	GTIN13	MSRP €
TT-2540 Turntable	395140	4000461087622	75,00



## HIGHLIGHTS A-1485 & A-1740 ALUMINIUM TRIPODS

High quality aluminium tripods with ball head and telescopic **Quick-Lock** tripod legs. Available in 2 sizes – fitted with great features for enthusiastic and professional photographers. The tripod legs can be spread out in 3 steps or detached for use as a monopod. The centre column is adjustable. Supplied with tripod case and protective pouch for the ball head.

### A-1485

- 5 sections with 4 extensions

	395 mm		6 kg
	460 mm		25 mm
	1485 mm		28 mm
	1315 g		MONO POD


### A-1740

- 4 sections with 3 extensions

	485 mm		10 kg
	585 mm		31 mm
	1740 mm		36 mm
	1900 g		MONO POD

### BALL HEAD

Panorama scale | 2 bubble levels | Quick-release plate with 1/4" camera mount and 3/8" tripod socket



Item	Item No	GTIN13	MSRP €
Highlights A-1485 Aluminium Tripod	380160	4000461086687	199,00
Highlights A-1740 Aluminium Tripod	380162	4000461086700	279,00



## HIGHLIGHTS C-1485 & C-1740 CARBON TRIPODS

High quality tripods made of carbon (8 layers) with ball head and telescopic **Quick-Lock** tripod legs. Available in 2 sizes – fitted with great features for ambitious and professional photographers. The tripod legs can be spread out in 3 steps or detached for use as a monopod. The centre column is adjustable. Supplied with tripod case and protective pouch for the ball head.

### C-1485

- 5 sections with 4 extensions

 395 mm	 25 mm
 min 460 mm	 28 mm
 max 1485 mm	 CARBON 8 Layers
 1070 g	 MONO POD
 6 kg	

### C-1740


- 4 sections with 3 extensions

 485 mm	 31 mm
 min 585 mm	 36 mm
 max 1740 mm	 CARBON 8 Layers
 1550 g	 MONO POD
 10 kg	



### BALL HEAD

Panorama scale | 2 bubble levels | Quick-release plate with 1/4" camera mount and 3/8" tripod socket

Item	Item No	GTIN13	MSRP €
Highlights C-1485 Carbon Tripod	380161	4000461086694	299,00
Highlights C-1740 Carbon Tripod	380163	4000461086717	399,00







## SB-2810S SUPER BOWL KIT

The compact kit offers a wide field of application and suits in every backpack. Great as table pod, pedestal or monopod for taking pictures or filming or for selfie shots.

- **Robust Table Pod** made of synthetics, 2 heights adjustable, suitable as pedestal.
- **Sturdy Telescopic Monopod** with five sections and safety strap. The ball bearing mounted rubber foot ensures a safe stand and allows smooth panning.
- **Large Ball Head** with 1/4" camera mount and a 1/4" tripod socket is suitable for portrait and landscape format; can be used with both, table pod and monopod.
- **Variable Smartphone Holder** with 1/4" tripod socket for up to 8 cm wide phones
- Scope of delivery: Super Bowl table pod with ball head, monopod with safety strap, smartphone holder.

### TABLE POD

	105 mm		140 g
	140 mm		3 kg
	190 mm		23 mm

### MONOPOD

	305 mm		245 g
	1220 mm		5 kg

Item No	Item No	GTIN13	MSRP €
SB-2810S Super Bowl Kit	380403	4000461086649	49,90



## ML-2020 LED MINI LIGHT BOX

Foldable and sturdy light box with snap-fastener to ensure stable mounting and two wrinkle-resistant foam rubber backgrounds in black and white colour. The 2 LED stripes with each **20 ultra-bright, long-life LEDs** can be lit up individually (when connected to USB).


- Ideal for **shadow free illumination** for the photography of smaller products and objects
- Quick and easy assembly
- Compact and space saving
- Supplied with USB 2.0 Y-cord and a modern case



### SPECIFICATIONS

Number of LEDs	2x LED stripes with each 20 LEDs
LED power	2x 10 W
Colour temperature	5500 K (daylight)
Brightness	400 Lumens
Voltage	5 V
Power supply	via USB 2.0 cord (2 x 500 mA)
USB cord	USB 2.0 Y cord with 2x USB 2.0 plug Micro B and 1x USB 2.0 plug A
Length USB cord	approx. 95 cm
Material light box	Polypropylene
Dimensions light box	approx. 22 x 24 x 24 cm
Carrying size	approx. 22 x 23 x 2 cm
Weight	approx. 250 g

Item	Item No	GTIN13	MSRP €
ML-2020 LED Mini Light Box	373391	4000461086663	32,90



## MAS CAMERA LCD PROTECTORS

Manufactured from superior glass with fine polish. Nano coating: dust, dirt, grease and liquids can easily be wiped off. The additional shatterproof coating protects the LCD against abrasion and collision. Thanks to the safety glass the MAS protector will not fall in pieces in case it breaks, the LCD is still protected. The MAS LCD protector firmly holds by adsorption – no chemical agents, no adhesives, no aging. The adhesion is strong enough for daily use.

- Applicable for Touch Screen LCDs
- High Light Transmission of 95%
- Anti-reflective coating
- Easy to apply and remove



- Step 1 Cleaning
- Step 2 Alignment
- Step 3 Press
- Step 4 Removal



DSLR & DSLM Cameras	Item No	GTIN13	MSRP €
Canon EOS 1300D	902701	4000461087028	29,90
Canon EOS 1D X Mark II	902617	4250638100603	29,90
Canon EOS 5D Mark II	902601	4250638100474	29,90
Canon EOS 5D Mark III	902602	4250638100481	29,90
Canon EOS 5D Mark IV	902700	4250638102362	29,90
Canon EOS 600D	902603	4000461069581	29,90
Canon EOS 60D	902604	4000461069598	29,90
Canon EOS 650D, 750D, 760D, 800D	902605	4000461069604	29,90
Canon EOS 6D	902608	4250638100627	29,90
Canon EOS 6D Mark II	902702	4000461087042	29,90
Canon EOS 70D	902612	4250638101075	29,90
Canon EOS 800D, 750D, 760D, 650D	902616	4250638101976	29,90
Canon EOS 7D Mark II	902614	4250638101624	29,90
Canon EOS 80D	902618	4250638102195	29,90
Canon EOS M5	902703	4000461087585	29,90
Canon G1X	902607	4000461069628	29,90
Canon Powershot G7XII, G7X	902619	4250638102317	29,90
Nikon D5	902639	4250638102249	29,90
Nikon D500	902690	4250638102263	29,90
Nikon D5300, D5500	902635	4250638101334	29,90
Nikon D5600, Fuji X-T1	902652	4250638101907	29,90
Nikon D700	902624	4000461069673	29,90
Nikon D7100, D7200	902631	4250638100870	29,90
Nikon D750	902637	4250638101617	29,90
Nikon D7500	902691	4000461087011	29,90
Nikon D800 / D810	902626	4250638100559	29,90
Nikon D850	902692	4000461087547	29,90
Nikon D3400 <b>new</b>	902693	4000461088780	29,90
Fuji X100T, X100F	902653	4250638101891	29,90
Fuji X30	902654	4250638101884	29,90
Fuji X70	902656	4250638102225	29,90
Fuji X-PRO 1	902650	4250638100573	29,90
Fuji X-PRO 2	902655	4250638102218	29,90
Fuji X-T1, Nikon D5600	902652	4250638101907	29,90
Fuji X-T10, X-T20	902657	4250638102232	29,90
Fuji X-T2	902658	4250638102379	29,90
Leica M10	902710	4000461087226	29,90
Olympus E-M1, E-M1 Mark II, E-M5 Mark II	902681	4250638101426	29,90
Sony A7 RIII <b>new</b>	902641	4000461088803	29,90
Sony A7, A7R, A7S	902642	4250638101327	29,90
Sony A7II, A7RII, A7SII, RX100, II, III, RX4, 5	902643	4250638101990	29,90
Sony Alpha 6000, 6300, 6500	902644	4250638102270	29,90
Sony Alpha 9	902645	4000461087035	29,90
Sony Alpha 99 II <b>new</b>	902646	4000461088797	29,90
Panasonic Lumix GH5	902671	4000461087578	29,90