


**PHOTO
ACCESSORIES**
CATALOGUE 2014





WELCOME IN THE WORLD OF PHOTOGRAPHY

The diversity of our accessories gives you opportunities to improve your picture and filming results. Make your choice according to your interest and get thrilled by the successful photos and films you will create.

CONTENT

Lenses, Conversion Lenses, Lens Accessories	03
Filters & Filter System	12
Macro Accessories & Macro Flashes	20
Camera Flashes & Accessories	24
Video Filming	34
LCD Protection	40
Cleaning	42
Remote Camera Shutters	45
Tripods, Tripod Heads, Monopods, Accessories	46
Camera Carrying Straps	64
Energy	66
Action Cams	68
LED Torches	69
Cutters	72
Repro Stand	74
Transparency Viewers	75
Memory Card Readers and Storage	76
Skross World Adapters	78
GreenClean Cleaning	79

KEY TO SYMBOLS

-  Digital High Grade – Multi Coating
-  Minimum Height
-  Maximum Height
-  Transportation Height
-  Height w/o Center Column
-  Height with Center Column
-  Profile
-  Weight
-  Maximum Load
-  Bubble Level
-  Diameter
-  Strobe Function
-  SOS Blinking Function
-  Waterproof

-  **DÖRR TV** Product Video available on YouTube
-  Notes and Hints

-  Made in Japan



FISHEYE WIDE ANGLE LENS FOR DSLR CAMERAS



Try new perspectives. The 8 mm Fisheye Lens provides an extreme wide angle of view with a large focus range. The typical distortion can serve as a creative element.

- Focal length: 8 mm
- Maximum aperture: 1:3,5
- Mounts to: Sony, Nikon, Canon EOS
- Incorporated lens hood
- Diagonal angle of view: 167°
- Minimum focus distance: 0,3 m
- Manual focusing
- Multi Coating MC
- Optical construction: 10 elements in 7 groups
- Weight app. 430 g, length app. 980 mm

	Item No	EAN13
Canon EOS	361005	4000461068263
Nikon	361006	4000461068270
Sony	361007	4000461074097

FISHEYE WIDE ANGLE LENS FOR DSLM CAMERAS



Extraordinary pictures can be shot using extraordinary lenses. An angle of view of app 168° is fascinating for landscape, architecture or indoor photography. You can get clearly more on your images than with regular wide-angle lenses. Great picture effects and new perspectives are now feasible. Expand your mirrorless camera system with an optical highlight.

- Multi coating (7 layers)
- Stable metal frame
- Manual focus from 0.3m - ∞
- Optical construction: 4 elements / 4 groups
- Lens diameter: 49 mm
- Weight: 220 g

	Item No	EAN13
Canon EOS M	361110	4000461073069
Nikon ML-1	361111	4000461073076
Sony Nex E	361112	4000461073083
Micro 4/3 G	361113	4000461073090
Fuji X	361114	4000461073106

	Canon EOS-M	Nikon 1	Sony-E	Micro 4/3	Fuji X
Focal Length	12,0 mm	7,5 mm	12,0 mm	9,3 mm	12,0 mm
Lens Speed	F 7,4	F 8,0	F 7,4	F 8,0	F 7,4
Diagonal Angle of View	167°	162°	167°	168°	167°
Measurements	65 x 58,5 mm	65 x 52,7 mm	65 x 58,5 mm	65 x 57,4 mm	65 x 58,2 mm

DANUBIA TELEPHOTO MIRROR LENSES



Danubia T2 Telephoto Mirror Lenses

Mirror lenses project the incoming image onto the camera sensor, different from other optical lens constructions. That is why their design is so compact. Light dots out of the focus range are shown as circles – a great tool for creation of portrait picture composing.

The aperture of mirror lenses cannot be closed.

- Multicoating
- T2

Model	Focal Length	Max. Aperture	Filter Size	Length	Diameter	Weight
8,0/500 T2	500 mm	1:8,0	72 mm	105 mm	74 mm	350 g
6,3/500 T2	500 mm	1:6,3	95 mm	115 mm	97 mm	596 g
8,0/900 T2	900 mm	1:8,0	105 mm	135 mm	110 mm	795 g



8 mm



105 mm



500 mm



50 mm



200 mm



900 mm

Model	Item No	EAN13
8,0/500 T2	254002	4000461068898
6,3/500 T2	254003	4000461068904
8,0/900 T2	254004	4000461068911

ADAPTERS & TELECONVERTER

T2 Adapter

These metal adapters allow combining lenses and accessories with universal T2 mount to SLR cameras.



	Item No	EAN13
Canon EOS	321722	4000461000867
Canon FD	321702	4000461000720
M42	321700	4000461000706
Sony/Min	321721	4000461000850
Minolta MD	321701	4000461000713
Nikon	321703	4000461000737
Nikon 1	321704	4000461065071
Olympus 4/3	321800	4000461025693
Olympus OM	321705	4000461000751
Pentax PK	321706	4000461000768
Sony NEX-E	321725	4000461063312
OM Micro 4/3	321803	4000461054990
Petri BAJ	321714	4000461000843
Leica R	321712	4000461000829
Praktica B	321716	4000461014383
Rollei/Voigtl.	321708	4000461000782

T2 Teleconverter

It may happen that the telephoto focal length is not enough to get your object in scene. This teleconverter doubles the focal length.



A 500 mm lens turns into a 1000 mm telephoto lens; a 900 mm lens turns into a 1800 mm telephoto lens! The teleconverter is simply mounted between the T2 adapter and the lens. Aperture is reduced by factor 2x.

Item No	EAN13
326021	4000461068928

DANUBIA TELEPHOTO LENSES



DANUBIA F8,0/500 mm T2 Telephoto Lens with Aperture Setting

This inexpensive telephoto lens comes with classical mechanical lens components, no fancy extras. However, the optical performance is perfect and that is what you need to take good pictures.

- Focal length: 500 mm
- Maximum aperture: F/8,0
- Multi Coating MC
- Mount: T2 – adapters available
- Lens system with aperture setting
- Filter mount: 67 mm
- Measurements: 315 mm x ø 70 mm
- Weight: 710 g

Item No	EAN13
222501	4000461068881



Telephoto Zoom Lens F8,3/420-800 mm T2

Manuel telephoto zoom lens – ideal for animal and nature photography as well for details from a large distance.

- Focal length: 420 - 800 mm
- Aperture: F8,3 - 16
- Focus: manually
- Mount: T2 mount (optional T2 adapter required)
- Construction: 4 lenses in 2 groups
- Coating: Multicoating
- Filter Thread: 67 mm
- Lens Hood: built-in
- Tripod Mount Ring: ¼" mount, rotatable for landscape or portrait format
- Dimensions: 238 - 320 mm x ø 70 mm
- Weight: approx. 680 g

Item No	EAN13
222502	4000461077272

SERIES VII ADAPTERS



	Item No	EAN13
37 mm	322037	4000461040306
43 mm	322043	4000461053634
49 mm	322049	4000461001093
52 mm	322052	4000461001109
55 mm	322055	4000461001116
58 mm	322058	4000461001123
62 mm	322062	4000461001130
67 mm	322067	4000461001147
72 mm	322072	4000461021695

There are photo accessories with the universal Series VII mount. The adapters allow the combination with all popular lens sizes.

UNIVERSAL METAL LENS HOOD



The universal lens hoods, also called sunshades, avoid lateral light incidence and reduce reflections. The metal lens hood can be combined with a Snap-On lens cap, so that the lens hood can always stay mounted on the lens.

	Item No	EAN13
37 mm	360300	4000461055249
40,5 mm	360301	4000461055256
46 mm	360302	4000461055263
49 mm	360249	4000461068980
52 mm	360252	4000461045264
55 mm	360255	4000461045271
58 mm	360258	4000461045288
62 mm	360262	4000461045295
67 mm	360267	4000461045301
72 mm	360272	4000461045318
77 mm	360277	4000461045325

REPLACEMENT LENS HOOD CANON

Replacement lens hoods suitable for your lens provide optimum protection from stray light. They are available for many popular lenses.



Canon ET-74



Canon ET-73



Canon EW-83E



Canon EW-63C



Canon ET-63



Canon EW-60CT



Canon ET-83C



Canon ET-87



Canon EW-78D



Canon ET-67B



Canon EW-73C



Canon EW-83F



Canon EW-83H



Canon ET-73B



Canon EW-78E



Canon ET-65B



Canon EW-83J



Canon EW-88



Canon EW-65II



Canon ES-62



Canon EW-78BII



Canon ET-64II



Canon EW-83G



Canon EW-60C



Canon ES-71II



Canon EW-63II



Canon ET-67



Canon ES-79II



Canon EW-73B



Canon ET-60



Canon EW-63C

RUBBER LENS HOOD



- Foldable rubber lens hood with metal thread
- Avoids lateral light incidence and reduce reflections
- Inner tread allows to mount a lens cap or filter

	Item No	EAN13
37 mm	360537	4000461068027
40,5 mm	360540	4000461068034
43 mm	360543	4000461068041
46 mm	360546	4000461068058
49 mm	360549	4000461065644
52 mm	360552	4000461065651
55 mm	360555	4000461065668
58 mm	360558	4000461065675
62 mm	360562	4000461065682
67 mm	360567	4000461065699
72 mm	360572	4000461065705
77 mm	360577	4000461065712
82 mm	360582	4000461065774

REPLACEMENT LENS HOOD NIKON & SONY



Nikon HB-32



Nikon HB-36



Sony SH-108 flat



Nikon HB-35



Nikon HB-39



Sony SH-108 tulip



Nikon HB-45



Nikon HR-2



Nikon HB-37



Nikon HB-46



Nikon HB-7



Nikon HB-69



Nikon HB-23



Nikon HN-3

i For information on lens compatibility please visit www.doerrfoto.de

	Item No	EAN13
Canon EW-60CT	360350	4000461070440
Canon EW-83F	360351	4000461070457
Canon EW-83J	360352	4000461070464
Canon ET-64II	360353	4000461070471
Canon ET-67	360354	4000461070488
Canon ET-74	360355	4000461070495
Canon ET-83C	360356	4000461070501
Canon EW-83H	360357	4000461070518
Canon EW-88	360358	4000461070525
Canon EW-83G	360359	4000461070532
Canon ES-79II	360360	4000461070549
Canon ET-73	360361	4000461070556
Canon ET-87	360362	4000461070563
Canon ET-73B	360363	4000461070570
Canon EW-65II	360364	4000461070587
Canon EW-60C	360400	4000461064371
Canon EW-73B	360401	4000461064388
Canon EW-83E	360402	4000461064395
Canon EW-78D	360403	4000461064401
Canon EW-78E	360404	4000461064418
Canon ES-62	360405	4000461064425
Canon ES-71II	360406	4000461064432
Canon ET-60	360407	4000461064449
Canon ET-65III	360408	4000461064456
Canon ET-67B	360409	4000461064463
Canon ET-65B	360410	4000461064470
Canon EW-78BII	360411	4000461065606
Canon EW-63II	360412	4000461065613
Canon EW-63C	360413	4000461074172
Canon ET-63	360414	4000461075315
Canon EW-73C	360415	4000461077807
Nikon HB-32	360420	4000461064487
Nikon HB-35	360421	4000461064494
Nikon HB-45	360422	4000461064500
Nikon HB-37	360423	4000461065620
Nikon HB-7	360424	4000461070594
Nikon HB-23	360425	4000461070600
Nikon HB-36	360426	4000461070617
Nikon HB-39	360427	4000461070624
Nikon HR-2	360428	4000461065637
Nikon HB-46	360429	4000461070631
Nikon HB-69	360440	4000461077258
Nikon HN-3	360431	4000461070648
Sony SH-108 flat	360430	4000461064517
Sony SH-108 tulip	360432	4000461071669

LENS & CAMERA ACCESSORIES

Camera Body Caps

Protects the sensor, mirror, focusing screen and the mount of your DSLR camera from dust, dirt, humidity and damages. A must for transportation and storage of DSLR and SLR cameras.



	Item No	EAN13
Canon	307002	4000461000133
Canon-EOS	307022	4000461016660
Contax/Yash.	307007	4000461000188
M42	307000	4000461000119
Minolta	307001	4000461000126
Nikon	307003	4000461000140
Olympus	307005	4000461000164
Pentax PK	307006	4000461000171
Sony/Min-AF	307021	4000461016653

Rear Lens Cap

Protects the rear lens and the lens bayonet mount from dust, humidity and scratches. A must for transportation and storage of lenses.



	Item No	EAN13
Canon	309002	4000461000201
Canon EF-S	309004	4000461044762
Canon EOS	309022	4000461016707
Canon EOS-M	309028	4000461070426
Contax/Yash.	309007	4000461016684
Fuji X	309029	4000461070433
M42	309000	4000461016677
Minolta	309001	4000461000195
Nikon	309003	4000461000218
Olympus	309005	4000461000225
Oly. Micro 4/3 (MFT)	309026	4000461061172
Pentax PK	309006	4000461000232
Sony/Min-AF	309017	4000461016691
Sony NEX-E	309027	4000461062728

Professional Lens Cap

Protects the front lens from dust and scratches. The mechanics that hold and release the cap are inside the cap. Therefore, the cap can be opened and closed while using a lens hood.



	Item No	EAN13
37 mm	306137	4000461059995
40,5 mm	306140	4000461057304
43 mm	306143	4000461065842
46 mm	306146	4000461056246
49 mm	306149	4000461047039
52 mm	306152	4000461033599
55 mm	306155	4000461033605
58 mm	306158	4000461033612
62 mm	306162	4000461033629
67 mm	306167	4000461033636
72 mm	306172	4000461033643
77 mm	306177	4000461033650
82 mm	306182	4000461047022
86 mm	306186	4000461078019
95 mm	306195	4000461078026

WHITE BALANCE DISC

Make a manual white balance metering by holding the White Balance Disc in front of the lens. Can be used with all popular DSLR cameras and lenses.

- Avoids color faults and color distortions
- Provides natural skin tones – ideal for portrait photography



with white balance disc



without white balance disc

Item No	EAN13
372955	4000461065750

LENS CAP HOLDER

Secures the lens cap of all lens types. Sticks on the lens cap while the elastic strap goes around the lens body.



Item No	EAN13
306100	4000461036682

STEP UP RINGS



They allow mounting of a filter or other lens accessories of a different mount size onto your lens. Or you can use the accessories with other lenses.

STEP UP ↗
Lens diameter is **SMALLER** than accessory mount.

	Item No	EAN13
25 ↗ 30 mm	361025	4000461037900
27 ↗ 30 mm	361026	4000461037917
30 ↗ 37 mm	361040	4000461050930
34 ↗ 37 mm	361041	4000461064241
37 ↗ 43 mm	361042	4000461064258
37 ↗ 46 mm	361043	4000461064265
37 ↗ 52 mm	361030	4000461040313
40,5 ↗ 52 mm	361082	4000461077210
40,5 ↗ 58 mm	361083	4000461077227
40,5 ↗ 67 mm	361084	4000461077234
43 ↗ 52 mm	361044	4000461064272
46 ↗ 52 mm	361045	4000461064289
46 ↗ 58mm	361085	4000461077241
49 ↗ 52mm	361046	4000461064296
49 ↗ 58 mm	361060	4000461038471
52 ↗ 55 mm	361047	4000461064302
52 ↗ 58 mm	361061	4000461038457
52 ↗ 62 mm	361048	4000461064319
52 ↗ 67 mm	361049	4000461064326
52 ↗ 77 mm	361050	4000461037955
55 ↗ 58 mm	361062	4000461038440
55 ↗ 62 mm	361080	4000461064333
55 ↗ 67 mm	361081	4000461064340
55 ↗ 77 mm	361051	4000461037962
58 ↗ 62 mm	361035	4000461040931
58 ↗ 67 mm	361036	4000461040948
58 ↗ 72 mm	361037	4000461040955
58 ↗ 77 mm	361052	4000461037979
58 ↗ 82 mm	361038	4000461040962
62 ↗ 67 mm	361063	4000461046032
62 ↗ 72 mm	361070	4000461038433
62 ↗ 77 mm	361053	4000461037986
67 ↗ 72 mm	361071	4000461038426
67 ↗ 77 mm	361054	4000461037993
67 ↗ 82 mm	361075	4000461077173
72 ↗ 77 mm	361055	4000461038006
72 ↗ 82 mm	361056	4000461064234
77 ↗ 82 mm	361073	4000461048272
77 ↗ 86 mm	361078	4000461077203

STEP DOWN RINGS



They allow mounting of a filter or other lens accessories of a different mount size onto your lens. Alternatively, you can use the accessories with other lenses.

STEP DOWN ↘
Lens diameter is **LARGER** than accessory mount

	Item No	EAN13
30,5 ↘ 30 mm	361027	4000461037924
34 ↘ 30 mm	361028	4000461037931
37 ↘ 30 mm	361029	4000461037948
43 ↘ 37 mm	361039	4000461043062
55 ↘ 52 mm	361031	4000461040320
58 ↘ 52 mm	361032	4000461040337
58 ↘ 55 mm	361034	4000461040924
62 ↘ 52 mm	361033	4000461040344
67 ↘ 62 mm	361076	4000461077180
72 ↘ 67 mm	361077	4000461077197
77 ↘ 72 mm	361072	4000461038464
82 ↘ 77 mm	361074	4000461048289

SLIDE DUPLICATOR FOR DIGITAL CAMERAS

The slide duplicator is mounted onto the filter thread of your digital camera lens. It is positioned with the holder, now select the picture frame and press the shutter, ready. The slide duplicator comes with a highly precise achromatic macro lens with 52 mm mount and 10 diopters. It can be used separately if desired.

- Mounts to 52 mm, supplied with stepping rings for 37, 55, 58 and 62 mm.
- Usage in combination with digital cameras. For a ratio of 1:1, a focal length of 110 mm (35 mm) is required
- Supplied with slide holder for two 35 mm slides with a maximum thickness of 3 mm
- Incorporated achromatic multicoated macro lens with 10 diopters which can be used independently
- Made in Japan

Item No	EAN13
326010	4000461040177



i DÖRR transparency viewers are an appropriate light source for the slide duplicator – see page 75.

NEGATIVE CARRIER FOR SLIDE DUPLICATOR

Item No	EAN13
326011	4000461040184

FISHEYE CONVERSION LENSE

0,25x Super Fish Eye Conversion Lens 58 mm

Provides a typical fish eye effect – circle round image. Ideal for panorama and effect photography. Widens the angle of view to app. 165°.



- Change of focal length by: 0,25x
- Mount: 52 mm – stepping rings optionally available
- Coated lenses
- Metal black frame
- Measurements: ca. 67 x ø 67 mm
- Weight: 240 g
- Made in Japan

Item No	EAN13
361100	4000461071997

WIDE ANGLE CONVERSION LENSES

0,42x Super Wide & Macro Conversion Lens/46 mm

Inexpensive wide angle conversion lens with coated optics. Ideal for landscape, panorama and indoor photography. The rear lens can be removed and used as a separate close-up lens (10 dioptres).



- Change of focal length by: 0,42x
- Mount: Series VII & 46 mm
- Front accessory mount: 67 mm
- Coated optics
- Metal black frame
- Measurements: 44 x ø 68 mm
- Weight: 149 g
- Made in Japan

Item No	EAN13
361010	4000461038044

0,45x DHG Wide Angle Conversion Lens 37 mm

High quality conversion lens ideal for DSLM cameras. You get 50% more on your image. No loss of image quality. Ideal for landscape, panorama and indoor photography. Removable close up lens for independent use.



- Change of focal length by 0,45x
- Mount: 37 mm
- Front accessory mount: 43 mm
- MC Multi Coating
- Metal black frame
- Measurements: 46 x ø 24 mm
- Weight: 77 g

Item No	EAN13
361019	4000461056253



HD WIDE ANGLE CONVERSION LENS 0,45x



W/O HD Wide Angle 0,45x



WITH HD Wide Angle 0,45x

For DSLR & DSLM Cameras, Bridge Cameras and Camcorders

System cameras, bridge cameras and camcorders are usually not very well fitted for wide-angle photography or filming. The wide-angle conversion lens reduces the wide-angle focal length by 0,45x. Therefore, you can achieve an extra wide angle of view for impressive landscape and indoor shots and films.

The conversion lens increases the angle of view in FULL HD compatible resolution. The multicoating reduces reflections and ensures maximum light transmittance. Your images will be sharp and of accurate color rendition. Available in 4 sizes to screw into the filter thread of the camera lens.

	HD WW 0,45x SMALL	HD WW 0,45x LARGE
Maximum Aperture	F / 4,0	F / 4,0
Suited for Lenses	28 - 35 mm (35 mm)	28 - 35 mm (35 mm)
Front Accessory Mount	62 mm	77 mm
Optical Construction	2 elements / 2 groups	2 elements / 2 groups
Measurements / Weight	32 x ø 64 mm / ca. 120 g	39 x ø 78 mm / ca. 210 g
Frame	Black Metal	Black Metal

Lens-ø	Item No	EAN13
SMALL – 37 mm	361090	4000461071249
SMALL – 40,5 mm	361092	4000461071256
LARGE – 49 mm	361093	4000461071263
LARGE – 52 mm	361094	4000461071270

i For information on lens compatibility please visit www.doerrfoto.de

Go2 SYSTEM

Those who frequently use filters will love the Go2 Filter System. With a simple Go2 system adapter the filter holder is mounted to the lens. Now up to three Go2 square filters can slide simultaneously into the filter holder. Using graduated filters, it is upon the user's creativity to slide the filters up and down, to use them upside down or to combine various filters. The Go2 System Lens Hood avoids disturbing reflections. Square filter size: 8,3 x 9,4 cm



i Each Go2 Filter is packed in a sturdy plastic box.



Go2 Lens Hood

The lens hood avoids reflections and lateral stray light. The hood is simply plugged onto the filter holder.

Item No	EAN13
318901	4000461071683



Go2 Filter Holder

The center component of the Go2 filter system! It attaches easily to the lens in combination with a Go2 adapter ring. Then the desired filters can be inserted (up to 3 filters).

Item No	EAN13
318900	4000461071676



Go2 Metal Adapter Ring

They combine with the Go2 filter holder and are available for lens sizes 49 mm up to 82 mm.

Lens-ø	Item No	EAN13
49 mm	318949	4000461071836
52 mm	318952	4000461071843
55 mm	318955	4000461071850
58 mm	318958	4000461071867
62 mm	318962	4000461071874
67 mm	318967	4000461071881
72 mm	318972	4000461071898
77 mm	318977	4000461071904
82 mm	318982	4000461071911



Go2 CPL Circular Polarizer

Polarizing filters avoid reflections on non-metallic surfaces and enhance contrasts and color saturation.

Item No	EAN13
318906	4000461071706



Go2 Neutral Density Filter ND8

Neutral Density (ND) Filters shade the picture equally and color neutrally. So the exposure time can be extended and a larger aperture becomes possible.

Item No	EAN13
318905	4000461071690



Go2 Black & White Color Filter

Color Filter for creative Black & White Photography. To combine with the Go2 filter holder.


Farbe	Item No	EAN13
Red	318920	4000461071782
Yellow	318921	4000461071799
Blue	318922	4000461071805
Green	318923	4000461071812
Orange	318924	4000461071829



Go2 Graduated Color Filter

A graduated color filter gets more excitement to the picture.

Color	Item No	EAN13
Red	318910	4000461071713
Yellow	318911	4000461071720
Blue	318912	4000461071737
Green	318913	4000461071744
Orange	318914	4000461071751
Grey	318915	4000461071768
Tobacco	318916	4000461071775



Plastic Box for Go System Filter Go2

Item No	EAN13
372386	4000461071683

EXAMPLES OF USE G02 B/W COLOR FILTERS



w/o B/W Color Filter



Red B/W Color Filter



Yellow B/W Color Filter



Blue B/W Color Filter



Green B/W Color Filter



Orange B/W Color Filter

Red	Blue (sky) gets visibly darker, creates a high contrast of clouds in the sky, haze is toned down considerably, red gets lighter, skin tones get paler. Great for dramatic landscapes
Yellow	Blue (sky) gets darker, reduces haze slightly, clouds show rich contrasts, red and green color become lighter. Ideal for landscape photography
Blue	Red gets darker, blue lighter. Reinforces the haze, reduces the contrast, produces diffuse and hazy atmosphere
Green	Red and blue gets darker, green gets lighter and more shading (nature). Creates a beautiful skin for portraits
Orange	Effects are in between yellow and red, less alienation then with red filter

EXPAMPLES OF USE G02 GRADUATED COLOR FILTERS



w/o Color Filter



Graduated Red



Graduated Yellow



Graduated Blue



Graduated Green



Graduated Orange



Graduated Grey



Graduated Tobacco

Red	Creates impressive sunsets even when the sky looks unimposing
Yellow	Creates harmonic light sceneries in landscapes with predominant sky
Blue	Enhances colors for special effects or a deep blue sky
Green	Turns green colors in nature more shading. Ideal for landscapes with water
Orange	Creates impressive sunsets or sets thundery clouds into dramatic scenery
Grey	Color neutral, for a more balanced exposure when brightness varies
Tobacco	Enhances warm earth tones or for dramatic sky scenery

GRADUATED COLOR FILTERS

Rotating frame allows the use the graduated effect flexibly. Creates harmonic light sceneries with balanced exposure. Ideal for photography and video filming. Front filter mount for additional accessories.

i Graduated Color Filter Grey
Often the sky on pictures is too bright. Exposure time should be shorter for the sky then for the main object. Using grey colored graduated filter you can achieve correct exposure all over the image, clouds will be enhanced.

Graduated Color Filters
A boring sky can spoil the picture result. A graduated color filter gets more excitement to the picture. The sky scenery can change from romantic to threatening.

GRADUATED GREY



GRADUATED BLUE



GRADUATED ORANGE



GRADUATED TOBACCO



Color neutral, for more balanced exposure when brightness varies

Enhances colors for special effects or a deep blue sky

Creates impressive sunsets or sets thundery clouds into dramatic scenery

Enhances warm earth tones or for dramatic sky scenery

	Lens-ø	Item No	EAN13
GREY	37 mm	318137	4000461063527
	40,5 mm	318140	4000461063534
	46 mm	318146	4000461063541
	49 mm	318149	4000461063558
	52 mm	318152	4000461063565
	55 mm	318155	4000461063572
	58 mm	318158	4000461063589
	62 mm	318162	4000461063596
	67 mm	318167	4000461063602
	72 mm	318172	4000461063619
BLUE	77 mm	318177	4000461063626
	82 mm	318182	4000461063633
	37 mm	318237	4000461063640
	40,5 mm	318240	4000461063657
	46 mm	318246	4000461063664
	49 mm	318249	4000461063671
	52 mm	318252	4000461063688
	55 mm	318255	4000461063695
	58 mm	318258	4000461063701
	62 mm	318262	4000461063718
BLUE	67 mm	318267	4000461063725
	72 mm	318272	4000461063732
	77 mm	318277	4000461063749
	82 mm	318282	4000461063756

	Lens-ø	Item No	EAN13
ORANGE	37 mm	318337	4000461063763
	40,5 mm	318340	4000461063770
	46 mm	318346	4000461063787
	49 mm	318349	4000461063794
	52 mm	318352	4000461063800
	55 mm	318355	4000461063817
	58 mm	318358	4000461063824
	62 mm	318362	4000461063831
	67 mm	318367	4000461063848
	72 mm	318372	4000461063855
TOBACCO	77 mm	318377	4000461063862
	82 mm	318382	4000461063879
	37 mm	318437	4000461063886
	40,5 mm	318440	4000461063893
	46 mm	318446	4000461063909
	49 mm	318449	4000461063916
	52 mm	318452	4000461063923
	55 mm	318455	4000461063930
	58 mm	318458	4000461063947
	62 mm	318462	4000461063954
TOBACCO	67 mm	318467	4000461063961
	72 mm	318472	4000461063978
	77 mm	318477	4000461063985
	82 mm	318482	4000461063992

DIGI LINE UV PROTECT FILTER



Entry-level Slim Line UV protect filter with high definition.

- Optimum protection for your digital camera lens
- Slim Line frame avoids vignetting
- Non-reflective metal frame
- Front filter thread for extra accessories

Lens-ø	Item No	EAN13
37 mm	310137	4000461051814
40,5 mm	310140	4000461051821
43 mm	310143	4000461051838
46 mm	310146	4000461051845
49 mm	310149	4000461051852
52 mm	310152	4000461043390
55 mm	310155	4000461043406
58 mm	310158	4000461043413
62 mm	310162	4000461043420
67 mm	310167	4000461043437
72 mm	310172	4000461043444
77 mm	310177	4000461043451
82 mm	310182	4000461051869
86 mm	310186	4000461065866

DIGI LINE CIRCULAR POLARIZING FILTER



Entry-level circular polarizer with high definition. The Slim Line frame avoids vignetting.

- Optimum protection for your digital camera lens
- Enhances contrasts and color saturation
- Eliminates reflections on non-metallic surfaces
- Non-reflective metal frame

Lens-ø	Item No	EAN13
37 mm	310237	4000461051876
40,5 mm	310240	4000461051883
43 mm	310243	4000461051890
46 mm	310246	4000461051906
49 mm	310249	4000461051913
52 mm	310252	4000461043468
55 mm	310255	4000461043475
58 mm	310258	4000461043482
62 mm	310262	4000461043499
67 mm	310267	4000461043505
72 mm	310272	4000461043512
77 mm	310277	4000461043529
82 mm	310282	4000461051920
86 mm	310286	4000461066306

UV PROTECT FILTER



- Protects your camera's front lens
- Takes effect on UV rays and mist
- Color neutral
- Front filter thread for extra accessories

Lens-ø	Item No	EAN13
25 mm	310025	4000461025617
30,5 mm	310035	4000461015502

DIGI LINE ALL-IN-ONE FILTER KIT



The bargain kit comprises in Nylon case:

- 1x Digi Line UV Filter
- 1x Digi Line CPL Filter

Add-on:

- 1x Close-up lens +4 diopters, ideal for macro shots, close-focus 16 cm = ratio 1:2,8

Lens-ø	Item No	EAN13
37 mm	378037	4000461062544
40,5 mm	378040	4000461062551
43 mm	378043	4000461062568
46 mm	378046	4000461062575
49 mm	378049	4000461062582
52 mm	378052	4000461061752
55 mm	378055	4000461061769
58 mm	378058	4000461061776
62 mm	378062	4000461061783
67 mm	378067	4000461061790
72 mm	378072	4000461061806
77 mm	378077	4000461061813

ADVENTURE FILTER CASE



Black Nylon case with 4 compartments for filters or other accessories, e.g. memory cards.

- Filters are secured by a flexible strap and Velcro closure.
- Each compartment offers space for a filter of max. ø 82 mm

Item No	EAN13
320050	4000461039560



w/o close-up lens



with close-up lens +4 diopters

DHG FILTERS

Light incidence on a glass surface causes a loss of app. 5% of the light by reflections; contrast brilliance and sharpness are reduced. In order to avoid dull images, the filter surfaces are treated with a metal oxide layer, also known as "coating". High quality filters boast of a number of coating layers = Multi Coating. As an effect, reflections are almost eliminated. High-end quality filters boast of an additional Nano coating to make them liquid and dirt repellent. They are easier to clean more robust than other filters.



with CPL Filter



w/o CPL Filter



QUALITY FEATURES OF DÖRR DHG FILTERS

DHG stands for Digital High Grade

- DHG Multi Coating on both sides ensures 99,5 % light transmission and avoids reflections, loss of sharpness, contrast and brilliance. Number of coating layers for DHG filters: 10 layers, Super DHG filters: 12 layers.
- Ultra slim frame avoids vignetting when taking wide-angle pictures
- Black coated metal frame and black glass edges reduce reflections within the filters

DHG UV Filter

DÖRR UV filters protect the front lens from humidity, dust and scratches. They are totally color neutral and do not cause any loss of light. Therefore, they can smoothly stay on the lens.



- DHG 10x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens-ø	Item No	EAN13
37 mm	316037	4000461035852
40,5 mm	316040	4000461050541
43 mm	316043	4000461035869
46 mm	316046	4000461035593
49 mm	316049	4000461035609
52 mm	316052	4000461035616
55 mm	316055	4000461035623
58 mm	316058	4000461035630
62 mm	316062	4000461035647
67 mm	316067	4000461035654
72 mm	316072	4000461035661
77 mm	316077	4000461035678
82 mm	316082	4000461035685
86 mm	316086	4000461077289
95 mm	316095	4000461077142

DHG FILTERS

DHG Super Protect UV Filter

Same as DHG UV filter, but featuring an additional Nano coating to make the filter surface scratch-proof and water and oil repellent.



- DHG 12x Multi Coating on both sides ensures 99,5% light transmission
- "Super" stands for additional Nano coating
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens-ø	Item No	EAN13
52 mm	316652	4000461039850
55 mm	316655	4000461039867
58 mm	316658	4000461039874
62 mm	316662	4000461039881
67 mm	316667	4000461039898
72 mm	316672	4000461039904
77 mm	316677	4000461039911
82 mm	316682	4000461039928
86 mm	316686	4000461077586
95 mm	316695	4000461077593

DHG Circular Polarizing Filter

Eliminates reflections on non-metallic surfaces by simply rotating the filter. For improved color saturation and rich contrasts.



- DHG 10x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens-ø	Item No	EAN13
37 mm	316137	4000461035876
40,5 mm	316140	4000461050558
43 mm	316143	4000461035883
46 mm	316146	4000461035692
49 mm	316149	4000461035708
52 mm	316152	4000461035715
55 mm	316155	4000461035722
58 mm	316158	4000461035739
62 mm	316162	4000461035746
67 mm	316167	4000461035753
72 mm	316172	4000461035760
77 mm	316177	4000461035777
82 mm	316182	4000461035784
86 mm	316186	4000461077296
95 mm	316195	4000461077159

DHG Super Circular Polarizing Filter

Same as DHG Circular Polarizing filter, but featuring an additional Nano coating to make the filter surface scratch-proof and water and oil repellent.



- DHG 12x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens-ø	Item No	EAN13
52 mm	316752	4000461039935
55 mm	316755	4000461039942
58 mm	316758	4000461039959
62 mm	316762	4000461039966
67 mm	316767	4000461039973
72 mm	316772	4000461039980
77 mm	316777	4000461039997
82 mm	316782	4000461040009
86mm	316786	4000461077609
95mm	316795	4000461077616



Filter Cases

Practical plastic hard case for storage and transport of filters. Closes safely and is easy to open.

	Item No	EAN13
Small up to ø 58 mm	316690	4000461077692
Large from ø 62 mm	316691	4000461077708

NEUTRAL DENSITY FILTERS

Often there is too much light to take attractive portraits with small f-stop (large aperture opening). The surrounding light disturbs the creative photographer. A neutral density (ND) filter shades the picture equally and color neutrally. Therefore, the exposure time can be reduced and the larger aperture opening is now possible. If you wish to produce a motion blur effect for example with floating water, you can increase the exposure time using a neutral density filters.

i DHG ND8

The DHG ND8 filter increases the exposure time by factor 8, which corresponds to 3 aperture stops. The focus range can thus be reduced for creative photography. Even for studio photography, the ND8 filters can be of great assistance. Often the studio flashes are too powerful to take pictures with large aperture opening.

i ND1000

The reproduction of floating water naturally requires an exposure time of 1/30 s or longer, which is almost impossible at sunshine. The ND1000 filter extends the exposure time by 1000 times. As an effect of longer exposure time, you can also "eliminate" people moving on squares or landscapes.

DHG ND8 Neutral Density Filter

The DHG ND8 neutral density filter extends the exposure time by factor 8, which corresponds, to 3 aperture stops (f-stops). Example: the surrounding light conditions allow an f-stop of f8.0, it can change to f2.8 using the DHG ND8 filter - so you can reduce the focus range for more creative shots.



- Color neutral due to neutral density
- Factor 8x corresponds to 3 aperture stops
- Perfectly protects the lens of your digital camera
- Optimizes contrast results of your digital camera
- Non-reflective ultraslim frame avoids vignetting
- DHG Multi Coating on both sides
- Made in Japan

Lens-ø	Item No	EAN13
37 mm	316437	4000461044779
40,5 mm	316440	4000461077715
43 mm	316443	4000461044786
46 mm	316446	4000461044793
49 mm	316449	4000461044809
52 mm	316452	4000461044816
55 mm	316455	4000461044823
58 mm	316458	4000461044830
62 mm	316462	4000461044847
67 mm	316467	4000461044854
72 mm	316472	4000461044861
77 mm	316477	4000461044878
82 mm	316482	4000461044885



with ND 8 Filter

ND 3.0 Neutral Density Filter 1000x

The ND1000 filter extends the exposure time by factor 1000, which corresponds, to 10 f-stops. Example: an exposure time of 1/1000 s can change to 1s using the ND1000 neutral density filter. As an effect of longer exposure time, you can for example "eliminate" people moving on squares or landscapes.



- Optimum contrasts brilliance even with more open aperture
- Reduces the depth of field without overexposure
- Reduces the amount of light by 10 f-stops
- Reduces the available exposure time by a factor of 1000x
- Slim filter frame – avoids vignetting as of a focal length of 18 mm (APS-C) or 28 mm (35 mm)
- Black coated metal frame reduces reflections

Lens-ø	Item No	EAN13
37 mm	318037	4000461063404
40,5 mm	318040	4000461063411
46 mm	318046	4000461063428
49 mm	318049	4000461063435
52 mm	318052	4000461063442
55 mm	318055	4000461063459
58 mm	318058	4000461063466
62 mm	318062	4000461063473
67 mm	318067	4000461063480
72 mm	318072	4000461063497
77 mm	318077	4000461063503
82 mm	318082	4000461063510



with ND 3.0 Filter

VARIABLE ND FILTER & SOFT FANTASY FILTER

ND 4-400 Variable Neutral Density Filter

Best solution for photographers who wish to react flexibly on light conditions. The ND4-400 increases exposure time variably by the factor 4 up to 400x, which corresponds to 1 to 8 f-stops. So you can master any light situation no matter if its landscape, portrait, studio and outdoor photography.



- Variable light reduction by 1 to 8 aperture stops
- Optimum contrasts brilliance even with more open aperture
- Reduces the depth of field without overexposure
- Slim filter frame avoids vignetting as of focal length of 18 mm (APS-C) or 28 mm (35 mm)
- Black coated metal frame reduces reflections
- Supplied in Nylon soft case and lens cap
- Including adapter rings (see chart)

Lens-ø	Item No	EAN13
37 mm	310337	4000461063343
49 mm	310349	4000461063350
adapter rings for 40,5 + 46 mm		
58 mm	310358	4000461062896
adapter rings for 52 + 55 mm		
67 mm	310367	4000461062919
adapter rings for 62 mm		
77 mm	310377	4000461062933
adapter rings for 72 mm		



with ND 4-400 Filter

DHG Soft Fantasy Filter

Soft Fantasy filters can produce dreamy portraits, wedding pictures, or landscape pictures full of atmosphere. They produce a slight soft-focus effect over the full image.




- Soft filters for definite sharpness all over the image
- DHG Multi Coating
- Ultra slim frame avoids vignetting
- Black coated metal frame reduces reflections
- Including adapter rings (see chart)
- Made in Japan

Lens-ø	Item No	EAN13
55 mm	316855	4000461045042
adapter rings for 52 + 49 mm		
67 mm	316867	4000461045059
adapter rings for 58 + 62 mm		
77 mm	316877	4000461045066
adapter rings for 67 mm		



with Fantasy Filter



DHG CLOSE UP LENS



Cheaper than a macro lens but achieves astonishing results! The achromatic close-up lenses are mounted on the filter mount of the lens. They are supplied with stepping rings – for details see chart.

- Outstanding image quality without color fringes are provided by the achromatic lens
- Focus distance reduction with 5 diopters app. 1/5
- For digital and traditional cameras and camcorders
- Optical construction: 2 elements in 1 group
- No loss of light
- DHG Multi Coating
- Black aluminum lens frame
- Made in Japan



Dioptr.	Lens-ø	Adapter Rings	Item No	EAN13
5	55 mm	52 / 49 mm	316555	4000461036545
5	67 mm	58 / 62 mm	316567	4000461036538
5	77 mm	72 mm	316577	4000461037054

MACRO KIT +1, +2, +4 DIOPTERS



Inexpensive solution to expand your camera lens for close-up shots.

The close-up lens is screwed into the filter thread of your lens, whereby up to 2 close-up lenses can be combined (max. 6 dptrs). Now you get closer to your object. The larger the focal length, the more effective the close-up lens will be. Using 50 mm focal length a ratio of approx. 1:2 is achievable. For optimum results, close the camera aperture by 2 to 3 stops.

- Kit includes 3 close-up lenses with 1, 2 and 4 diopters
- To be screwed into the filter thread of lens
- Metal frame
- Comes with front thread for additional lens or lens hood
- All camera program modes can be used
- Supplied with protective case

Lens-ø	Item No	EAN13
37 mm	368037	4000461055003
43 mm	368043	4000461055010
46 mm	368046	4000461055027
49 mm	368049	4000461062537
52 mm	368052	4000461031472
55 mm	368055	4000461031489
58 mm	368058	4000461031496
62 mm	368062	4000461031502
67 mm	368067	4000461031519
72 mm	368072	4000461037122

EXTENSION TUBE SET FOR DSLR CAMERAS



For great macro shots with DSLR cameras. The extension tubes can be used individually or combined. They are mounted between the camera and lens. They reduce the minimum distance of the camera lens and thus increase the ratio for close-up photography.

- Extension tubes 12, 20 and 36 mm resp. 13, 21 and 31 mm (Pentax)
- For digital and traditional SLR cameras
- Ratios of 1,5:1 and more can be achieved
- Manual focusing
- Supports all camera program modes except autofocus

Camera Type	Extension Tubes	Item No	EAN13
Canon EOS	12/20/36 mm	323022	4000461068713
Nikon AF	12/20/36 mm	323023	4000461068720
Nikon AF(G)	13/21/31 mm	323003	4000461001192
Pentax PK/A	13/21/31 mm	323016	4000461001260
Sony	12/20/35 mm	323021	4000461068737

EXTENSION TUBE KIT 10/16/21 mm FOR DSLM CAMERAS



For great macro shots with DSLM cameras. The extension tubes can be used individually or combined. They are mounted between the camera and lens. They reduce the minimum distance of the camera lens and thus increase the ratio for close-up photography.

- Extension Tube Set for Close-up and Macro Shots
- Designed for use with system cameras (DSLM)
- Reduces the close-focus distance, increases the ratio up to 1,5:1
- 3 extension tubes 10 mm, 16 mm, 21 mm
- Can be used single or in combination
- Transmission of all automatic functions



Camera Type	Extension Tubes	Item No	EAN13
Canon EOS M	10/16/21 mm	323026	4000461073984
Nikon 1	10/16/21 mm	323027	4000461073991
Sony Nex E	10/16/21 mm	323028	4000461074004
Oly/Panasonic MFT	10/16/21 mm	323029	4000461074011



DRL-232 LED RING LIGHT WITH BATTERY BOX



Ultra bright LED ring light with variable brightness adjustment. Ideal for use with macro and close-up photography. It is also great e.g. for portraits. The annular order of the LEDs ensures shadow free illumination in the close-up range. For a three dimensional illustration with lateral shadow, the ring light can also be positioned above or aside the lens. For attachment on a tripod, the ring light boasts of a 1/4" socket at the bottom. For an optimum direction, use the supplied hinged bracket.

- Number of LEDs: 232
- Light Intensity: approx. 1.100 Lux/1m
- Color Temperature: 5800 K ± 200 K Dimmer: 20% to 100 %
- Supplied with Battery Box for: 6x 1,5 V Mignon AA Batteries (optional)
- Alternative Energy Source: Li-Ion Battery Type SONY NP-F550 (optional)
- Adapter Rings included: ø 52, 55, 58, 62, 67, 72 and 77 mm
- Measurements:
 - Ring Light approx. 16 x 2,5 cm,
 - Control Unit approx. 9,5 x 6 x 4 cm,
 - Battery Pack approx. 7 x 3,7 x 6,3 cm
- Weight:
 - Ring Light with Control Unit approx. 300 g,
 - Battery Box empty approx. 62 g

Item No	EAN13
371025	4000461077425

Li-Ion Battery Replace Sony NP-F550 (2200 mAh, 7.2 V)	
980075	4000461077548

LED MACRO RING LIGHT ULTRA 48



48 LEDs ensure permanent and even illumination for all macro and close-up shots. For three-dimensional effects, it is possible to switch on one side of the ring with 24 LEDs only.

- Constant light with 5500 - 6500 K
- Adapter rings included: ø 49, 52, 55, 58, 62 and 67 mm
- Light intensity: 185 Lux/1 m at full power ratio (48 LEDs), 130 Lux/1m at half power ratio (24 LEDs)
- Recommended distance to the object: 3 to 100 cm
- Power source: 2x AA 1,5 V batteries or rechargeable NiCd/NiMH batteries
- Measurements control unit: 91 x 44 x 44 mm, ring light: 128 x 103 x 28 mm
- Weight: app. 184 g (w/o batteries)
- Supplied with AC adapter

Item No	EAN13
371040	4000461053825

LED RING LIGHT ULTRA 80 WITH FLASH



80 LEDs ensure permanent and even illumination for all macro and close-up shots. The additional flash provides even more light and improves the depth of field (1 f-stop).

- Well suited for all DSLRs and digi cams with filter mount
- Color temperature: app. 5.500K- 6.500 K (daylight)
- Light intensity: 450 Lux/1m with 80 LEDs
- Power source: 4x AA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Recommended distance to the object: 3 to 100 cm
- Adapter rings included: ø 52, 55, 58, 62, 67 und 72 mm
- Measurements: control unit: 93 x 67 x 67 mm, ring light: 142 x 119 x 28 mm
- Weight: app. 260 g (w/o batteries)

Item No	EAN13
371080	4000461066320

DAF-14 RING FLASH TTL



Ideal for shadow free illumination in macro photography. TTL flash control automatically provides the correct illumination – no settings required.

- Guide no. 14 (ISO 100/50 mm)
- Automatic TTL flash exposure control
- Guide no. 14 (ISO 100/50 mm)
- Automatic TTL flash exposure control
- Flash duration 1/700 s (full power ratio)
- Color temperature 5.600 K
- Connects to camera lens filter thread 52 mm
- Adapter rings included: ø 55, 58 and 67mm
- Power source: 4x AA 1,5V batteries or rechargeable NiCad/NiMH batteries

Camera Type	Item No	EAN13
Canon	371015	4000461041822
Nikon	371016	4000461041839
Sony	371017	4000461050596

DMF-15 MACRO TTL FLASH



- Ring flash with two individually usable elements
- Light characteristics can varied by using one element only
- Guide no. 15 (2x10,7) at ISO 100
- TTL flash control or manual flash mode
- 4 manual power ratios
- AF illumination for low ambient light
- Modelling flash for optimum flash settings
- Connection on filter thread of camera lens
- Adapter rings included ø 52, 55, 58, 62, 67 & 72 mm
- Auto power saving mode
- Operated by 4x AA batteries or rechargeable batteries
- Measurements:
Control unit: 75 x 85 x 112 mm,
Macro unit w/o cable: 120 x 120 x 30 mm
- Weight:
Control unit; app. 230 g,
Macro unit app. 170 g (w/o batteries)



Camera Type	Item No	EAN13
Canon	371180	4000461074035
Nikon	371181	4000461074042
Sony	371182	4000461074059
Sony MIS	371189	4000461077326
Olympus/Panasonic	371184	4000461074073



TTL ZOOM POWER ZOOM FLASHES

DAF-34 Zoom Flash

Inexpensive, compact yet powerful zoom flash with TTL control.



- Guide no. 34 at 85 mm with ISO 100/DIN21
- Flash Range up to app. 12 m with aperture setting F2.8
- TTL flash control automatically provides the correct amount of light.
- Auto aperture setting
- Manual zoom flash head for 28-35-50 and 85 mm
- Bounce flash head for indirect flash 30°, 45°, 60°, 90°
- Flash readiness indication
- Synchronization on the 2nd curtain depending on camera
- Power saving function
- Power source: 4x 1.5 V AA batteries
- Measurements: 154 x 73 x 45 mm
- Weight w/o batteries: app. 200 g

Camera Type	Item No	EAN13
Canon	370907	4000461046711
Nikon	370908	4000461046728
Sony	370903	4000461036576
Sony MIS	370909	4000461077333
Pentax	370904	4000461036583
Oly/Pana	370906	4000461036569

DAF-44Wi TTL Power Zoom Flash

Powerful flash with wireless TTL flash control.



- Digital Power Zoom AF W-TTL Flash
- W-TTL – wireless TTL flash control (*)
- LCD with 4,3 cm/1,7" diagonal
- Guide no. 45 at 105 mm with ISO 100/DIN21
- Power zoom flash head for 24, 28, 50, 70, 85, 105 mm
- Multi angle bounce and swivel flash head
- 6 power ratio levels from 1/1 to 1/32
- Flash recycling time: 0,5 - 8 s
- Slave function
- Integrated reflecting plate and diffuser
- AF metering light
- Power saving function
- Sturdy metal foot
- Power source: 4x AA Mignon batteries
- Measurements app: 72 x 100 x 125 mm
- Weight w/o batteries: app. 270 g

Camera Type	Item No	EAN13
Canon	371061	4000461072543
Nikon	371062	4000461072550
Sony	371063	4000461072567
Sony MIS	371069	4000461077340
Oly/Pana	371065	4000461072581

DCF 52Wi Power Zoom Flash

Powerful flash with wireless TTL flash control and sophisticated flash technique.



- Comfortable control panel with clearly arranged LCD
- Guide no. with ISO 100: 50 at 105 mm/45 at 85 mm
- High speed synchronization
- Flash Exposure Compensation: -3.0 to +3.0 EV
- Power zoom flash head for 24 to 105 mm
- Multi angle bounce and swivel flash head
- 7 Power ratio levels from 1/1 to 1/64
- Flash recycling time: 0,5 - 8 s
- W-TTL - wireless TTL flash control (*)
- Flash readiness and flash OK indicator
- Multi slave function
- Integrated reflecting plate and diffuser
- AF metering light
- Sync socket
- Terminal for optional DÖRR Power Pack
- Power saving function
- Sturdy metal foot
- Power source: 4x AA Mignon batteries
- Measurements: app. 125 x 100 x 65 mm
- Weight w/o batteries: app. 270 g

Camera Type	Item No	EAN13
Canon	371070	4000461073915
Nikon	371071	4000461073922
Sony	371072	4000461073939
Sony MIS	371079	4000461077357
Oly/Pana	371074	4000461073953

(*) depending on camera model

HC POWER PACKS

The HC series power packs are external energy sources for camera sources. When used with a compatible flash, the flash recycling time can be reduced to maximum 1 second at full power ratio. The ideal energy source for outdoor flash photography.

HC2000 Power Pack

The perfect solution for outdoor flash use; e.g. for wedding or architecture photography and more. The professional NiMH battery pack charges the DÖRR DCF 52 Flash and flashes of Canon, Nikon, Sony and Metz brand. Optional connecting cables are available for: DCF 52, Canon (600EX-RT, 580EXII), Nikon (SB900/910), Sony (F58AM) and Metz.



- Battery Ni-MH Battery -9,6 V/2000 mA
- Charging time app. 2 hours
- Flash recycling time app. 1 second (full power)
- Number of releases app. 500x (full power)
- Dimensions 147 x 104 x 44,3 mm
- Weight 490 g
- Scope of delivery power cable, car adapter, neoprene case
- Optional accessories connector cable (required)

Item No	EAN13
372340	4000461067112

HC4500 Power Pack

The HC4500 Power Pack is an external energy source for up to 2 camera flashes. It increases the number of flashes per battery charging to 1800x. The professional power pack is fitted with an interchangeable Lithium battery pack and always ready to work. Optional: Connecting cable for DÖRR DCF 52. Furthermore available: cables for Canon (600EX-RT, 580EXII), Nikon (SB900/910), Sony (F58AM) and Metz each in 2 versions as a short spiral cable or a longer straight cable.



- Replacement battery pack is available as well
- Lithium Battery -11,1 V/4500 mA
- Charging time app. 3 hours
- Flash recycling time app. 1 second (full power)
- Number of releases app. 1800x (full power)
- Dimensions 159 x 133,5 x 49,2 mm
- Weight 510 g
- Scope of delivery power cable (100 - 240 V), neoprene case
- Optional accessories connector cable (required)

Item No	EAN13
372330	4000461071003

HC REPLACEMENT BATTERY

Replacement Battery for Power Pack HC4500

Item No	EAN13
372331	4000461071010

HC POWER PACK ACCESSORIES

Cable for Power Pack HC2000

Spiral cable to connect your flash unit to the power pack. Length: 70 cm (extended 110 cm)



Camera Type	Item No	EAN13
Canon	372341	4000461067129
Nikon	372342	4000461067136
Sony	372343	4000461067143
Metz	372344	4000461067150
USB	372345	4000461067167

Spiral Cable 1,4 m for Power Pack HC4500

Spiral cable to connect your flash to the power pack. Length: 140 cm



Camera Type	Item No	EAN13
Canon	372332	4000461071027
Nikon	372333	4000461071034
Sony	372334	4000461071041
Metz	372335	4000461071058

Cable 5 m for Power Packs HC4500

For distant flashing. Cable to connect your flash unit to the power pack. Length: 5 m



Camera Type	Item No	EAN13
Canon	372336	4000461071065
Nikon	372337	4000461071072
Sony	372338	4000461071089
Metz	372339	4000461071096

Power Pack Spiral Cable 80 cm DCF 52Wi

To connect the Power Packs HC2000 and HC4500 to DCF 52Wi. Length: 80 cm

Item No	EAN13
372346	4000461074752

D320C UNIVERSAL ZOOM FLASH



Inexpensive powerful flash with standard flash shoe, 4 auto flash control settings and hot shoe contact. The additionally supplied sync cord allows the usage with older cameras without hot-shoe contact.

- Guide No. 32/ISO100
- Standard flash shoe
- 4 auto flash control settings
- Flash head for 35 - 85 mm
- Hot-shoe contact
- Supplied with sync cord
- Power source: 4x AA 1,5 V batteries or rechargeable NiCd/NiMH batteries

Item No	EAN13
370202	4000461039065

BK1900 FLASH



- Guide no. 19 at ISO 100
- Trigger flash with 2 slave modes:
 1. Single slave mode: flash releases simultaneously with camera flash
 2. Multitri pre slave mode: flash releases simultaneously with camera flash but considers the camera's flash metering system
- Flash recycling time: app 3,5 s
- Measurements: app 10,5 x 4,2 x 3,3 cm
- Power source: 2x AAA 1.5 V Micro batteries (optional)
- Supplied with integrated flash rail with tripod mount

Item No	EAN13
371110	4000461031267

TTL FLASH CABLE

Ideal for distant flash use. Transmits full TTL flash control functions. Available for many popular camera brands. 2 cable types at choice:

TTL Flash Cable 1,4 m

Spiral cable, extended length 140 cm



Camera Type	Item No	EAN13
Canon	371150	4000461047299
Nikon	371151	4000461047305
Sony/Min	371152	4000461047312
Pentax	371153	4000461047329
Olympus/Panasonic	371154	4000461047336

TTL Flash Cable 5,5 m

Cable of 550 cm length



Camera Type	Item No	EAN13
Canon	371156	4000461069147
Nikon	371157	4000461069154
Sony	371158	4000461069161

RS TRANSCEIVER KIT



- Flash trigger or receiver for camera flashes and studio flashes
- Remote camera release as sender or receiver
- Wireless radio transmission covers up to 400 m
- Manual flash release via hot shoe contact
- Number of radio channels: 4 in 3 groups
- Compatible cameras: Canon, Nikon
- Compatible flashes: with Canon or Nikon mount and studio flashes
- X-Flash synchronization: 1/320 s depending on camera type
- Power source: 2x 1,5 V AA batteries (optional)

i The transceiver kit components cannot be used as single device. However, additional devices for manifold photographic tasks can expand the kit.

Item	Item No	EAN13
Canon RS Kit (2 Geräte)	371560	4000461066146
Nikon RS Kit (2 Geräte)	371565	4000461066160
Canon (Einzel)	371561	4000461066153
Nikon (Einzel)	371566	4000461066177

FLP 56 FLASH AND LED LIGHT



Compact and powerful flash with LED light – perfect for both outdoor and studio photography. Well suited for portrait, beauty, event and wedding photography.

- LCD flash function control.
- LED Output: modeling lamp: 3 watts; video light: 18 watts
- Color temperature 5000 K
- Flash duration: 1/800 s to 1/1500 s
- Wireless trigger range: max. 30 m
- Mounts: Metal hot shoe, light stand mount
- Power source: 4x 1,5 V AA batteries, rechargeable
- Li-Ion battery or AC Adapter (all optional)
- Measurements: app. 15 x 10 x 12 cm, weight: 513 g
- Kit comprises: FLP 56 Flash, barn door, wireless transmitter, adapter for studio light stand, case.



Item No	EAN13
371042	4000461065804

SONY NP-F550 LI-ION BATTERY (2200 mAh, 7.2 V)

Item No	EAN13
980075	4000461077548

Charger for Sony Li-Ion Battery	
977014	4000461038105

AC ADAPTER FOR FLP 56

371044	4000461065835
--------	---------------

FLASH BRACKETS

The larger the distance between the flash and the lens axis, the lower the risk of red-eye effect. You can avoid this effect by using a flash bracket. Due to the larger distance, the illumination of the object is more natural. In case of vertical shots, you can avoid moving shadows by an unchanged flash position while the camera moves.

BK-C Flash Bracket

- Versatile and handy
- The flash can be positioned flexibly
- Vertical shots possible



Item No	EAN13
371118	4000461053948

FB-900 Flash Bracket

- Padded grip
- Camera can be turned by 90° for horizontal shots
- Flash rail rotates by 180°



Item No	EAN13
372286	4000461048456

Bracket Pro Flip 90

- Padded grip
- Camera can be turned by 90° for horizontal shots



Item No	EAN13
372287	4000461056321

Bracket Pro 100/180

- Padded grip
- Flash rail rotates by 180°



Item No	EAN13
372288	4000461056338

Bracket Pro Mini 270

- Can be folded and fits into every photo bag



Item No	EAN13
372289	4000461056345

ACCESSORY RAIL



BK 160 Accessory Rail

Flash and accessory rail with stand flash shoe.

Item No	EAN13
371116	4000461051623

BP80 BATTERY PACK FOR CANON & NIKON



Using the BP80 battery pack you can recharge Canon or Nikon flash units with external power port. Fitted with 8 x AA batteries, the battery pack reduces the flash recycling time and allows a much higher battery durability.

Easy to operate:

- Insert 8 AA batteries into the battery pack's compartment; connect the cable to the power socket of your flash. Now the switch the flash on.
- Depending on the mode set, the battery pack will be recognized automatically or must be switched on manually
- Now you can mount the BP80 onto the camera tripod socket using the 1/4" screw.

Specifications:

- Batteries (optional): 8x AA LR6 Alkaline batteries or Ni-MH rechargeable batteries (recommended)
- Flash charging time: max. 2 s at full power with fresh Ni-MH batteries
- Measurements: 170 x 71 x 28,7 mm
- Weight: 186 g (w/o batteries)

Item	Item No	EAN13
BP80 Canon	372325	4000461071102
BP80 Nikon	372326	4000461071119

CAMERA FLASH LIGHT FORMERS

Mini Octagon Softbox

Soft light wherever needed. The handy Mini Octagon Softbox suits all speedlites and provides a conveniently soft and diffuse illumination.



The inner silver layer avoids the loss of light. Especially for portraits, the advantages are obvious: harmonious skin tones without wrinkles or harsh shadows. Mounting at ease: Slip the softbox over your flash and close the Velcro and flexible strap.

Item No	EAN13
372355	4000461062100

SLR Universal Soft Diffusor

Simply slip the diffusor onto your camera lens and take flash shots.



- Optimum for people photos in the close range
- Provides a diffuse, soft and convenient illumination for portraits, no harsh contrasts
- Easy to fold, compact for storage
- To be fixed around the lens
- Covers the incorporated or accessory flash
- Supplied with case
- Size: 31 x 22 cm

Item No	EAN13
372285	4000461036613

FLASH HOLDER



- Allows lateral flash positioning for three dimensional effects
- Supplied with holder for diffuser umbrellas
- Suits light stands or regular tripods (optional adapter) and all computer flashes (optional adapter required for Sony flashes)

Item No	EAN13
370899	4000461041075

FLASH SOFT BOUNCER S / M / L



Plugged onto the flash head, the Flash Soft Bouncer provides a diffuse and soft portrait illumination.

i Check compatibility with your flash at www.doerrfoto.de

- Available in 3 sizes for numerous flashes

		Item No	EAN13
S	60 x 37 mm	371140	4000461047343
M	60 x 40 mm	371141	4000461047350
L	65 x 44 mm	371142	4000461047367

SLR SOFT DIFFUSER PRO & COLOR FILTER KIT



The diffuser is simply plugged onto the flash head.

i Check compatibility with your flash at www.doerrfoto.de

- Reduces reflections and harsh shadows
- Creates harmonic, soft illumination
- Avoids red-eye effect and overexposure
- Color Filter Kit (yellow, orange, blue) optionally available
- Available in 4 sizes

		Item No	EAN13
Pro 1	62 x 36 mm	372190	4000461042836
Pro 2	65 x 43 mm	372191	4000461042843
Pro 3	60 x 39 mm	372192	4000461042850
Pro 4	72 x 43 mm	372193	4000461042867
Color Filter Kit		372194	4000461046551

DIFFUSER CAPS



- Creates various color and soft effects
- Set comprises 4 caps, 1 each in white, blue, yellow and red color
- SMALL for incorporated flashes, ø 8 cm
- LARGE for camera flashes, ø 13 cm

	Item No	EAN13
Diffuser Caps SMALL	372350	4000461043987
Diffuser Caps LARGE	372351	4000461043994

QUICK FIX SOFTBOX QFASB-2030



The Quick Fix softbox provides soft illumination with smooth shadows. The quick set-up saves time for your photo shooting.

- Very fast and easy set-up
- Easy mounting with Velcro
- Flexible use with all camera flashes
- Creates soft and even flash light
- Perfect for portrait shots

Item	Item No	EAN13
Quick-Fix Softbox 20 x 30	372398	4000461072024

SQUARE SOFTBOX KITS




Using a computer flash you can act flexibly, mobile and fast. For portraits, however, soft illumination is required. The mobile Square softbox changes harsh light into a pleasant soft portrait illumination. If positioned laterally, a greater depth can be achieved. So you can take outdoor portraits of an optimum photo studio quality.

Model 372395 SSB Kit is supplied with a Bowens mount allowing to mount other light formers with Bowens mount or DÖRR light formers with an additional adapter ring (Item No 372960).

- Suits all possible computer flashes
- Pan and tilt function for fast and easy direction of softbox
- Mounts to a studio light stand
- Inner and outer diffuser removable
- Silver colored inner coating for maximum light efficiency
- Folds compactly for convenient transportation
- Bowens mount for use of light formers with Bowens mount (model 372395 only)
- Supplied with flash holder, retainer ring for softbox, outer and inner diffuser



Item	Measurements	Item No	EAN13
Square Softbox Kit SBK-40S	40 x 40 cm	372465	4000461072123
Square Softbox Kit SBK-50S	50 x 50 cm	372466	4000461072130
Square Softbox Kit SBK-60S	60 x 60 cm	372467	4000461072147
Square Softbox Kit	40 x 40 cm	372395	4000461062513



GO FLASH SYSTEM

Computer flashes are getting more and more powerful, many of them offer a wireless remote control. Nevertheless, the light they provide is extremely harsh and directed in comparison to studio flash light. GoFlash upgrades your flash for unimaginable options. Select the GoFlash adapter that suits your camera flash, choose the desired GoFlash light formers, and rely on your own creativity.



GOFASH MINI REFLECTOR



Provides a soft illumination, but slightly more harsh than using a softbox. The soft reflector creates a natural circle round reflection in your object's eye. Well suited for beauty and portrait photography.

- Front diameter 17 cm

Item No	EAN13
372370	4000461051197

GOFASH SOFTBOX



Softbox comes with white lining for an extremely soft and even light and a high light output, similar to diffuse daylight. Ideal for portrait, nude, beauty, glamour and product photography.

- Flash area: 29,5 x 19,5 cm

	Item No	EAN13
white	372373	4000461051227
silver	372374	4000461051234

GOFASH FILTER SET 6 COLORS FOR SOFTBOX



For more liveliness in your pictures. If you adapt the white balance setting of your camera to the color filter, the object will be of neutral color, while the background color will be distorted.

Item No	EAN13
372377	4000461051265



Soft Reflector



Softbox, white



Filter, yellow



Filter, green




Filter, blue



Filter, orange

GOFASH GLOBE DIFFUSER



The globe diffuser provides a diffuse and soft illumination. The light is evenly distributed. Ideal for indoor photography, portraits and groups.

- Diameter approx. 14,5 cm

Item No	EAN13
372371	4000461051203

GOFASH HONEYCOMB



Creates directed light, ideal for dramatic portrait sceneries or background light.

- Reduces stray light
- Enhances contrast and brilliance
- Diameter 10 cm

Item No	EAN13
372372	4000461051210

GOFASH ADAPTER



As a basic element, the adapter, suitable for your flash, makes your flash ready to mount the GoFlash light formers.

- **GoFlash Adapter 1** (Interior: 3,68 x 6,04 cm): for Nikon SB-600 & SB 800, Olympus FL-36R
- **GoFlash Adapter 2** (Interior: 4,34 x 6,24 cm): for Canon 320EX/430EX/EXII, Nikon SB700, DÖRR DAF-42, Metz 44AF-1, 50AF-1 & 58AF-2
- **GoFlash Adapter 3** (Interior: 3,87 x 5,91 cm): for Sony F56AM & Nikon SB-26/27/28
- **GoFlash Adapter 5** (Interior: 5,52 x 7,96 cm): for Vivitar 285HV
- **GoFlash Adapter 6** (Interior: 4,92 x 7,04 cm): for Nikon SB-900/ SB-910, Nissin Di822, Di622/622MkII
- **GoFlash Adapter 7** (Interior: 4,55 x 7,16 cm): for Canon 580EX/ 580EX II, Metz 48 AF-1 / 58 AF-1, Olympus FL-50R, Sigma EF-530DG ST, NissinDi622

Item	Item No	EAN13
Adapter 1	372378	4000461051272
Adapter 2	372379	4000461051289
Adapter 3	372381	4000461051302
Adapter 4	372382	4000461051319
Adapter 5	372383	4000461051326
Adapter 6	372384	4000461051333
Adapter 7	372385	4000461070969

GOFASH BARN DOOR



Creates a harsh light of high brilliance. The free rotation allows direction of the light beam to a selected area. Best for product photography and all objects that require a clearly determined lit area.

Item No	EAN13
372375	4000461051241

GOFASH CONICAL SNOOT



- Strongly directed light
- Well suited for hair and face
- Creates background effects, especially for portraits, 2 honeycombs, wide and fine for a clearer scope of the light circle
- Inner diameter approx. 5 cm

Item No	EAN13
372376	4000461051258



Globe Diffuser



Honeycomb



Conical Snoot



Barn Door

LED 126 ULTRA VIDEO LIGHT



Ideal for all cameras and camcorders with standard flash shoe. Creates a permanent and even light for filming, taking pictures or viewing objects.

- Light source: 126 ultra bright LEDs
- Light intensity: app. 950 Lux/1 m at full power ratio
- Color temperature: 5.400 K (daylight)
- Dimmer from 10 - 100 %
- LED lifetime: app. 50.000 h
- Mount can be adjusted twice for flexible tilt angle position
- Power source: 6x 1,5 V AA battery or rechargeable Li-Ion battery (Panasonic CGR-D16S, Sony NP-FH70, NP-FM55H, NP-FM500H oder NP-F550), or AC adapter (all optional)
- 4 LEDs to control battery status
- Measurements: app. 141 x 58 x 150 mm, weight: app. 240 g (w/o batteries)
- Supplied with: white diffuser for soft light, yellow diffuser for artificial light (3.200 K), minus green filter, 2 battery holders

Item No	EAN13
371045	4000461057380

LED 170 XTRA 1200 LUX VIDEO LIGHT



Ideal for all cameras and camcorders with standard flash shoe. Creates a permanent and even light for filming, taking pictures or viewing objects.

- Light source: 170 ultra bright LEDs
- Light intensity: app. 1200 Lux/1 m at full power ratio
- Color temperature: 5.400 K (daylight)
- Brightness dimmer from 10 - 100 %
- LED lifetime: app. 50.000 h
- Adjustable mount for flexible tilt angle position
- Power source: 6x 1,5 V AA battery or rechargeable Li-Ion battery (Panasonic CGR-D16S, Sony NP-FH70, NP-FM55H, NP-FM500H oder NP-F550), or AC adapter (all optional)
- 4 LEDs to control battery status
- Measurements: app. 141 x 58 x 150 mm, weight: app. 240 g (w/o batteries)
- Supplied with: white diffuser for soft light, yellow diffuser for artificial light (3.200 K), minus green filter, 2 battery holders

Item No	EAN13
371037	4000461063138

FLASH HOT SHOE ADAPTER KIT



Kit for SONY Camcorders

Practical accessory support for camera w/o flash hot shoe, or when the hot shoe is already in use. Most recommended for video lights for filming. Comes with adapter for SONY camcorders.

Item No	EAN13
371090	4000461057915



Kit for CANON Camcorders

Practical accessory support for camera w/o flash hot shoe, or when the hot shoe is already in use. Most recommended for video lights for filming. Comes with adapter for CANON camcorders.

Item No	EAN13
371091	4000461065743

AC ADAPTER FOR VIDEO LIGHTS

AC Adapter for Ultra 126/LED170

Item No	EAN13
371049	4000461060342

AVL-102 VIDEO LIGHT



The AVL-120 video light provides even illumination for your photo shots and video recordings. The universal plug-on system allows easy mounting on the flash. Alternatively it can be mounted on the flash shoe of your DSLR or DSLM camera, camcorder, or tripod using the supplied ball head with universal hot shoe.

- 102 LEDs
- Color Temperature: 5.400 K/with orange filter 3.200 K
- Light Intensity: up to approx. 790 Lux/1 m at full ratio
- Power Source; 5x AA battery, optional
- Performance: 6,2 W
- Voltage: 6 V - 7,5 V
- Connector flash hot shoe
- Measurements approx. 128 x 64 x 148 mm
- Weight (w/o batteries) approx. 218 g
- Supplied with ball head and 4 plug-on filters

Item No	EAN13
371057	4000461075285

DLP-820 LED CONTINUOUS LIGHT



The DLP-820 LED Continuous Light provides a high light intensity of max. 6.300 Lux and is dimmable. In order to avoid mixed light, the color temperature can vary from 3.000 K to 7.000 K. Operation with Sony V battery (optional) or with the supplied AC adapter. The supplied color neutral diffuser filter softens the light – most useful for product photography and video filming.

DLP-820 LED Continuous Light single


- Number of LEDs: 820
- Power Output: 52 W
- Operating Voltage: DC-15V/7A
- Measurements: 455 x 240 x 64 mm
- Illumination Area: 422 x 220 mm
- Barn Door with silver coating

Item No	EAN13
373450	4000461070860

DLP-820 LED Continuous Light Kit

- 2x DLP-820 LED Continuous Light
- 2x AC Adapter AC 110 - 240 V/DC 15 V/7 A
- 2x Diffuser Filter
- 2x Light Stand LS-24 or similar
- 1x Carrying Case

Item No	EAN13
373455	4000461074943



MIC & ACCESSORY TWIN VIDEO HOLDER



The twin holder allows the use a microphone and a video light simultaneously with a camera. To be fixed on the camera's flash hot shoe. Both arms of the holder boast of hot shoes to attach the accessories.

Item No	EAN13
395065	4000461060007

CAMERA GRIPS

VS-300 Aluminum Cam Grip Video Slider



- Versatile camera grip for more steady and smooth shootings
- Perfect for action shootings and ground level shootings
- Camera plate with adjustable ¼" camera mount for mounting compact cameras, small DSLR cameras, system cameras and camcorders
- Aluminum accessory shoe to attach flash units, video lights and microphones

Item No	EAN13
395061	4000461071980

Video Grip 200



- Extremely lightweight and compact grip, ideal for taking shots and films from above the head. It also stabilizes the camera for video sequences.
- Can be extended up to 20 cm
 - Top level ¼" camera mount, lower end ⅜" tripod mount – can be used to extend a tripod.

Item No	EAN13
395062	4000461058769

GEAR RINGS

Gear Rings



- Facilitates manual focusing when taking video films
- Ideal in combination with a follow-focus system
- For lenses with an outer diameter up to 116 mm
- Locking screw bridges up to 10 mm

	Item No	EAN13
D6070 ø 60-70 mm	395100	4000461065965
D7080 ø 70-80 mm	395101	4000461065972
D8090 ø 80-90 mm	395102	4000461065989
D90100 ø 90-100 mm	395103	4000461065996
D100110 ø 100-110 mm	395104	4000461066009
D110120 ø 110-120 mm	395105	4000461066016

SELFIE POD & SMARTPHONE HOLDER

HS-140 Selfie Pod



Allows new image and movie perspectives!
Designed for self-portraits, action shootings, shootings over huge crowds and more.

- Suitable for cameras, camcorders and smartphones (optional holder see below)
- Ball head with ¼" mount holds the camera in any position
- Non-slip foam grip and wrist strap
- Made of sturdy aluminum

Item No	EAN13
380410	4000461074998

- 5 Sections
- 273 g
- 41 cm
- 140 cm

Smartphone Holder



Universal clamp holder to mount your smartphone on tripods, monopods and one-hand monopods. ¼" tripod mount. 2 sizes available:

- A** Spread max. 7 cm – well suited for many Smartphones
- B** Spread max. 10 cm – well suited for large Smartphones

Model	Item No	EAN13
A max. 7 cm	380411	4000461075155
B max. 10 cm	380418	4000461077531

SMARTPHONE SHUTTER

JOB SMART SHUTTER BLUETOOTH 4.0



- Bluetooth 4.0 Remote Shutter for Smartphones
- Remote functions photo (with or without flash), video (on/off)
- Extremely short trigger time 0,2 s
- Distance range up to 20 m
- Perfect for self-shots or group shot blur-free snapshot
- Operation with 1x CR-2032 Battery (included, battery lifetime app. 5 years with 100 shots per day)
- Acrylic Stand for Smartphone included
- Compatible with Apple iPhone 4S & 5 iOS 6.0, iPad 3/4, iPad Mini and iPad Touch 5, Samsung Galaxy S3/S4 and Android OS4.3/ OS4.4.

Simply download and install the "Shutter Panorama" App. Pairing via Bluetooth 4.0 will be synchronized within seconds. Now the Smartphone is ready to work with the smart shutter.

Item No	EAN13
204650	4022124016497

VIDEO STABILIZER

FLYCAM Video Stabilizer

The Flycam offers light, agile, seamless shooting for today's videographer. The hand-held Flycam being ultra-light and ultra-compact, allows you to keep up with the action more easily than ever.



The sturdy Flycam moves smoothly.

- Grip with ball and socket joint for permanent balance
- A number of counterweights can be attached flexibly for best balance

Item No	EAN13
395000	4000461057465

RIG Shoulder Support with Quick-Release Shoe

Lightweight shoulder support – ideal for DSLR cameras and smaller camcorders with accessories.



- Adjustable chest support
- Quick-release shoe
- Neck strap
- Accessory rail

Item No	EAN13
395026	4000461057533

SPIDER Video Shoulder Rig

The shoulder rig flexibly adjusts to many useful positions and allows to fix accessories. The spider can be combined with a monopod or a tripod for an even wider scope of usage. For transportation, it can be folded to save space.



The flexible video shoulder rig is well suited for DSLR filming, or can be combined with mirror less cameras or camcorders.

- Padded and ergonomically shaped grips
- ¼" accessory mount

Item No	EAN13
395012	4000461063336

DVS-1 Compact Stabilizer

Compact metal stabilizer designed for filming with compact cameras and Smartphones (optional Smartphone holder see page 36)



- Offers light, agile and seamless moves
- Allows smooth and precise panning shots
- Padded grip with ball for optimal balance
- Counterweights can be attached individually or combined for best weight distribution
- Bubble level
- ¼" camera mount
- Weight: approx. 386 g

Item No	EAN13
395063	4000461076589

DVS-3 Stabilizer

Sturdy metal stabilizer made of metal for DSLR cameras and camcorder



- Offers light, agile and seamless moves
- Allows smooth and precise panning shots
- Padded grip with ball for optimal balance
- Counterweights can be attached individually or combined for best weight distribution
- Counterweights: 1x 287 g, 2x 185 g
- Bubble level
- ¼" camera mount
- Dimensions: 33 x 20 cm
- Total weight: 1054 g

Item No	EAN13
395064	4000461075292

Quick-Release Shoe for FLYCAM + RIG

Additional quick-release shoe suitable for Flycam and RIG shoulder support. Rubberized camera surface, ¼" camera mount.



Item No	EAN13
395001	4000461065781

SKATE DOLLIES

Skate Dolly SD-4

Ideal for smooth and non-blurred tracking shots, no matter if it goes straight, in curves, circle-round, close to earth or on a photo table. Well suited for DSLR and DSLM cameras and camcorder. Flexible and professional shootings with a ball head or video panhead (optional).



- 2 variably adjustable axes
- 360° all-round views are possible

Item No	EAN13
395131	4000461072161

Triangle Skate Dolly SD-3

Ideal for professional tracking shots close to earth or on a photo table using a DSLR or DSLM camera or a camcorder. Fully flexible and shake-free camera tracks, straight, or in curves. The 3 wheels can be adjusted flexibly and independent from each other so the SD-3 can turn around its own axis.



- 3 variably adjustable axes
- 360° all-round views are possible
- Scale for precise adjustment of the angle of turn for repeated shootings
- Low noise smooth running hard rubber wheels
- Base plate fitted with a tripod socket for each ¼" and ⅜"
- Can be combined with an optional video panhead or ball head.

Item No	EAN13
395130	4000461072154

Multipod MP-160

The Multipod MP-160 with elaborate accessories makes video filming and picture taking more comfortable. With the ball head positioned at the lower end of the monopod, the pod is flexible in all directions. With screw-on tripod foot, the multipod stands firmly. The markings on the inner tube allow exact repetition.



- Height extended: approx. 165 cm, folded approx. 76 cm
- Mount for camera, tripod head or accessories: rotatable – ⅜" or ¼"
- Weight: approx. 1.15 kg, max. load approx. 3.6 kg
- Made of aluminum with foam shell
- Supplied with ball head, tripod foot and case

Item No	EAN13
380290	4000461078057

	SD-4	SD-3
Measurements (LxW)	approx. 19 x 14 cm	approx. 35 x 30 cm
Distance of Axis	approx. 14 cm	approx. 33 cm
Ride Height	approx. 3 cm	approx. 4,2 cm
Wheel Diameter	approx. 6,5 cm	approx. 6,5 cm
Camera Connection	¼" with adapter to ⅜" centered on the base plate	¼" with adapter to ⅜" centered on the base plate
Maximum Load	approx. 24 kg	approx. 10 kg
Weight	approx. 520 g	approx. 940 g
Material Dolly/Wheels	Aluminum / Hard Rubber	Aluminum / Hard Rubber

Skater Wheels for Multipod MP-160

The Multipod becomes mobile with the skater wheels. Hard rubber wheels max. clamp width 3,55 cm.

Item No	EAN13
380291	4000461078064

CONDENSER MICROPHONES

Condenser microphones will improve the audio recording quality of your videos. They are spring-load mounted, avoiding disturbing shock noise. Electronic filters can be used to minimize ambient noise. The supplied soft cover reduces unwanted wind sound.

CV02 Stereo Microphone

Lightweight and robust directional stereo microphone for improved sound quality when recording with camcorders, DSLR cameras and audio recorders.



- Lightweight and robust aluminum housing
- Frequency range: 30 Hz - 20 KHz
- Stereo broadcast sound quality
- 2 step high pass filter and sound reduction
- PAD switch for noise level attenuation -10 dB
- Shock-mount, universal accessory shoe
- Power source: 9 V block (optional)

Item No	EAN13
395094	4000461073892

Dead Kitten Wind Screen for CV02 Microphone

Item No	EAN13
395085	4000461074028

CV03 Stereo Microphone

Professional Pressure Gradient Stereo Microphone with super-cardioid polar characteristics. Two-Step High Pass Filter for suppressing of ambient noise. Wide Frequency Range (38 Hz - 20 kHz) and large Signal to Noise Ratio for high quality audio recording.



- Rugged cast zinc alloy body, shock mount and universal hot-shoe mount
- Polar Characteristic 2x Super-Cardioid with aperture angle 90°
- Frequency Range 38 Hz - 20 kHz, selectable
- High Pass Filter @80 Hz, 12 dB/octave
- Sensitivity -38 dB re 1 Volt/Pascal (12.8 mV/Pa) +/-2 dB@1kHz
- Signal to Noise Ratio (SNR) 75dB SPL
- Output Impedance 200 Ohm
- Dead Kitten wind screen
- Stereo mini jack plug 3.5 mm
- Powered by 9V battery (not included)

Item No	EAN13
395095	4000461068348

DM 220 Condenser Microphone



Highly sensitive directional mono cardioid microphone. Ideal for recording scenes with photo or video cams.



- Sturdy aluminum housing
- 200 Hz bass filter to reduce ambient noise
- Sensitivity: app. -32 dB re 1V/Pa (25 mV/Pa) @1kHz
- Frequency Range: 50 Hz - 16 kHz
- Supplied Dead Kitten cover reduces unwanted wind sound
- Universal flash shoe mount
- Supplied with 1x 1,5V AA battery

Item No	EAN13
395090	4000461068355

VIDEO CAMERA SLIDER D75



The video camera slider allows smooth, jolt-free non-blurred tracking shots for professional video shootings with DSLR, DSLM cameras or camcorders. We recommend mounting an optional ball head.

- Directional in 3 ways: horizontally, vertically or diagonally
- 3/8" tripod mount for connection of a video panhead or ball head
- 3 each 1/4" and 3/8" tripod sockets for mounting on up to 3 tripods
- The dolly can be fixed with 4 locking screws
- Supporting legs can be adjusted in height individually
- Sturdy aluminum rails with non-slip rubber tips
- Sturdy aluminum rails

Model	Lenght	Width	Max. Load	Weight
D75 80 cm	80 cm	75 mm	app. 10 kg	app. 3,6 kg
D75 135 cm	135 cm	75 mm	app. 10 kg	app. 5,1 kg

	Item No	EAN13
D75 80 cm	395141	4000461066061
D75 135 cm	395142	4000461066078

MAGNIFYING LENS



Digi Finder Plus

The DigiFinder Plus is simply clicked on or off the camera display. It is held by a thin adhesive frame, which is fixed around the LCD frame (residue free removal possible). When the DigiFinder Plus is not in use, the supplied LCD protector can be clicked onto the LCD frame.

- Magnifying Lens 2,75x with diopter correction
- Supplied with X-treme LCD protector: inherently stable and scratch proof
- Made in Germany

		Item No	EAN13
2,7"	(54 x 40 mm)	902350	4000461055829
3,0"/4:3	(61 x 46 mm)	902351	4000461055836
3,0"/3:2	(64 x 42 mm)	902352	4000461055843

DISPLAY PROTECTION



X-Treme LCD Protector

Optimum protection against dust and scratches for the LCD of your valuable camera. The protector is simply clicked on or off the camera display. It is held by a thin adhesive frame which is fixed around the LCD frame (residue free removal possible).

- Maximum light transluence
- Crystal clear and brilliant images
- Made in Germany

		Item No	EAN13
2,7"	(54 x 40 mm)	902360	4000461055850
3,0"/4:3	(61 x 46 mm)	902361	4000461055867
3,0"/3:2	(64 x 42 mm)	902362	4000461055874

LCD Protector

Suitable for the following LCD sizes: 2,5", 2,55" and 3".

- Inherently stable scratchproof display protection
- Crystal clear and brilliant image provided by 100% light transluence
- Easy to apply – residue free removal possible

	Item No	EAN13
2,5"	902341	4000461050725
2,55"	902342	4000461050732
3"	902345	4000461050756

LCD Protector – Custom-fit for many DSLRs & DSLMs

Scratches on camera displays affect the photographer's view on the object. The custom-fit LCD Protector for your camera solves this problem effectively.

- Inherently stable scratchproof display protection
- Crystal clear and brilliant image provided by 100% light transluence
- Easy to apply – residue free removal possible

	Item No	EAN13
Canon EOS 5D Mark II TWIN	902303	4000461050671
Canon EOS 5D Mark III	902308	4000461066344
Canon EOS 1000D	902302	4000461050664
Canon EOS 1100D	902307	4000461062056
Canon EOS 1DX	902309	4000461066351
Canon EOS 450D/500D	902300	4000461050640
Canon EOS 50D - Twin	902301	4000461050657
Canon EOS 550D	902305	4000461053887
Canon EOS 60D	902306	4000461060854
Canon EOS 6D	902336	4000461072437
Canon EOS 700D	902338	4000461075193
Canon EOS 70D	902337	4000461075186
Canon EOS 7D	902304	4000461053870
Nikon D3s (Twin)	902312	4000461059346
Nikon D7000	902314	4000461060878
Nikon D800	902315	4000461066368
Nikon DF	902317	4000461075179
Olympus PEN E-P1	902330	4000461059360
Olympus PEN E-P2	902331	4000461059377
SonyAlpha 300/350	902320	4000461050688
SonyAlpha 380/330/230	902321	4000461050695
SonyAlpha 700	902322	4000461050701
SonyAlpha 900 - Twin	902323	4000461050718


MAS LCD PROTECTOR

Manufactured from superior glass with fine polish. Nano coating: dust dirt, grease and liquids can easily be wiped off. The additional shatterproof coating protects the LCD against abrasion and collision. Thanks to the safety glass the MAS protector will not fall in pieces in case it breaks, the LCD is still protected. The MAS LCD protector firmly holds by adsorption – no chemical agents, no adhesives, no aging. The adhesion is strong enough for daily camera use.



Scope of Delivery:

A LCD Protector, **B** Wet cleaning cloth, **C** Micro fibre cloth, **D** Cleaning tape, **E** Plectrum



- Applicable for Touch Screen LCDs
- High Light Transmission of 95%
- Anti-reflective coating
- Easy to apply and remove

DSLR & DSLM Cameras	Item No	EAN13
Canon EOS 1D X	902600	4000461069550
Canon EOS 5D Mark II	902601	4000461069567
Canon EOS 5D Mark III	902602	4000461069574
Canon EOS 7D	902606	4000461069611
Canon G1X	902607	4000461069628
Canon EOS 6D	902608	4250638100627
Canon EOS 100D	902610	4250638101051
Canon EOS 700D	902611	4250638101068
Canon EOS 70D	902612	4250638101075
Nikon D3200	902621	4000461069642
Nikon D4	902622	4000461069659
Nikon D5100	902623	4000461069666
Nikon D5300	902635	4250638101334
Nikon D600	902628	4000461070334
Nikon D610	902634	4250638101341
Nikon D7000	902625	4000461069680
Nikon D7100	902631	4250638100870
Nikon D800	902626	4250638100559
Fuji X-PRO 1	902650	4000461069727
Fuji X 10	902651	4250638100580
Sony NEX 5C/7/C3/3C	902640	4000461069710
Sony A7R	902642	4897045103416
Olympus OM-D / E-M5	902680	4250638101358
Olympus OM-D / E-M1	902681	4250638101426
Panasonic Lumix GH3	902670	4250638100894

Smartphones	Item No	EAN13
iPhone 4/4S	902660	4897045102693
iPhone 5	902661	4897045102853
Samsung Galaxy S3	902662	4897045103096

DISPLAY PROTECTION FOIL

The foils are cut in display size. If necessary, they can be reduced in size.
• Content: 2 display protection foils

	Item No	EAN13
Display Protection Foil 2.7"	902027	4000461027741
Display Protection Foil 3.0"	902030	4000461023156
Display Protection Foil 3.5"	902035	4000461025532



PROFESSIONAL SUPER CLEAR PROTECTION FOIL

The super clear foils are cut to display sizes. Includes 2 protection foils, paper tissue and queegee card.
• Extremely durable, maximum transparency
• Reduces reflections

	Item No	EAN13
Professional Super Clear 2.5"	902101	4000461031540
Professional Super Clear 3.0"	902105	4000461031564
Professional Super Clear 3.5"	902107	4000461031571

PROFESSIONAL SUPER CLEAR PROTECTION FOIL 4.7"

Universal display protection. Simply cut it to the size of your display.
Content: 1 protection foil, template, Squeegee card

	Item No	EAN13
Professional Super Clear 4.7"	902000	4000461031809

HITECH DISPLAY ANTI-REFLECTION PROTECTION FOIL

- Foil is cut to display sizes
- Qualified for Touch Screen
- Maximum Light Transmission
- Includes Duo-wipe screen cleaner: to clean the screen using the moist wipe. Dry off with the cloth.

	Item No	EAN13
HiTech Universal 3" 16:9	902415	4000461066474
HiTech Universal 3" 4:3	902416	4000461066481
HiTech Universal 3" 3:2	902417	4000461066498
HiTech Universal 3,5" 16:9	902420	4000461066504
HiTech Universal 3,5" 4:3	902421	4000461066511
HiTech Universal 3,5" 3:2	902422	4000461066528

SPUDZ CLEANING



Spudz HD Ultra Cleaning Tissue



Spudz Cleaning tissue big / small

Spudz HD Ultra Cleaning Tissue

Large and extra soft micro fibre tissue 18 x 18 cm. Prevents scratches when cleaning optical and other sensitive items. The attached pouch keeps the tissue clean.


Spudz Cleaning tissue big / small

Best for all optical and scratch sensitive surfaces. The attached pouch keeps the tissue clean. Conveniently fitted with small carabineer hook. Can be washed at 30°C.

- Size big: 25 x 25 cm
- Size small: 15 x 15 cm

	Item No	EAN13
HD Ultra 18 x 18 cm	101023	873442000842
Big 25 x 25 cm	101024	699464000314
Small 15 x 15 cm	101022	4000461031694

CLEANING KIT



Cleaning-Kit 5 Components

Cleaning kit for perfect care of camera gear, binoculars and other optical devices.



Kit components

- A Blower brush
- B Cleaning fluid
- C Cotton swabs
- D Lens tissue
- E Micro fibre cloth

	Item No	EAN13
Cleaning-Kit CK-05	101028	4000461073472

MICRO FIBRE CLEANING CLOTH



Micro Fibre Cleaning Cloth

For cleaning of all optical lenses, glasses, screens, displays, CDs and other surfaces made of glass or plastic. Grease absorbing and lint-free.

- Size: app. 20 x 20 cm
- Available in 5 colors: dark blue, light blue, petrol, off-white, silver grey

	Item No	EAN13
Micro Fibre Cleaning Cloth	101037	4000461071232

BLOWER



Super Blower

Blower for extra strong flow! Removes dust particles from all glass surfaces such as lenses and more.

Silicon Blower

Efficiently removes dust from cameras and optical devices. The long-lasting and soft Silicon material makes the blower comfortable to use.

	Item No	EAN13
Super Blower	101031	4000461033278
Silicon Blower	101035	4000461068607

LENSPEN CLEANING PENS



LensPen Mini Pro X

Ideal cleaner for optical lenses. The brush removes the dust in an initial rough cleaning. The small coated circle-round tip removes the fingertips, reams in smallest edges. Ergonomically shaped grip.

Item No	EAN13
100091	4000461065859



LensPen Digital

Perfect for glass or plastic lenses, displays and other optical surfaces. The triangle shape neatly cleans the edges of the various surfaces.

Item No	EAN13
101003	4000461022678

LENSPEN LENS & DISPLAY CLEANING KIT



Lenspen PRO X Lens & Display Cleaning Kit

Unique cleaning kit for lenses, viewfinders and camera LCDs. The kit comprises 2 components: Cleaning pen (A) with a special coating for efficient cleaning of glass and plastic surfaces, the incorporated brush removes rough dirt; as well as the SmartClear Cleaning Pad (B) which allow efficient and residue free cleaning of camera display.



LensPen Pro

Unique cleaning pen for glass or plastic lenses. The brush removes the dust in an initial rough cleaning. The coated circle-round tip removes the fingertips, reams and more.

Item No	EAN13
101006	4000461040900



LensPen Sensor Klear Pen II

Adjustable cleaning pen for sensor cleaning. Ideally combines with the Sensor Klear Loupe. Long lasting for up to 100 applications.

Item No	EAN13
100099	4000461048951



Kit Components

- A Cleaning Pen
- B SmartClear Cleaning Pad

Item No	EAN13
100101	4000461077432

i Lenspen Cleaning Pens are designed for efficient cleaning of lenses, filters, viewfinders, displays and camera sensors. The especially coated cleaning pad cleans optical surfaces thoroughly. Shape and size of the cleaning pad are suitable for its individual task. The coating is nontoxic and Eco-friendly. Most of the pens boast of an additional brush for removal of dust and rough dirt.

SENSOR KLEAR LOUPE KIT

LENSPEN



Kit of 3 components, designed for Sensor Cleaning on DSLR and mirrorless reflex cameras.

LensPen Sensor Klear Loupe

- Precise cleaning with a 6x magnification
- 8 LEDs with clear view on the sensor
- Variable in height to suit most camera housing
- 2x AAA batteries included

LensPen Hurricane Blower

- Perfect for cleaning dust off lenses, filters, CCD sensors and SLR mirrors

LensPen Sensor Klear Pen II

- Adjustable cleaning pen for sensor cleaning

Kit Components

- A LensPen Sensor Klear Loupe
- B LensPen Hurricane Blower
- C LensPen Sensor Klear Pen II

AIR POWER COMPRESSED AIR 150 ml



Air Power 150 ml – Compressed air can with single use valve and capillary pipe.

Item No	EAN13
106009	4000461040030

**GREEN
CLEAN**
for fine technics

For more cleaning accessories see page 79.



Item No	EAN13
100100	4000461073960

LENSPEN CLEANING FOR SMARTPHONES, IPODS, LAPTOPS

LENSPEN



LensPen SideKick

Perfect for cleaning LCDs of iPads, tablet PCs and other Touch Screen devices.

- Lasts for app. 150 applications.
- Not effective on wet surfaces.

	Item No	EAN13
SideKick	100094	776293046017
Refill Pads (2x)	100093	776293043009



LENSPEN



Lap-Top Pro

Perfect lap top cleaner for both LCD Monitor (pad) and keyboard (brush) – even below the keys!

Item No	EAN13
101106	4000461034213



LENSPEN



LensPen Cell Klear

Ideal to clean the small lenses of mobile phones.

- The tip is especially shaped for lens cleaning without scratches!

Item No	EAN13
101000	4000461025044

CABLE & WIRELESS SHUTTERS

Remote Shutter with Cable

In case of long exposure times, it is essential to release shutter without vibrations. Even when using a tripod your pictures can be slightly blurred simply by the movement caused by pressing the camera's release button. The remote shutter with cable solves these problems and additionally serves as a self-timer.



- Cable length: 1 m
- BULB mode setting for long time exposure available

	Item No	EAN13
Canon 10	371510	4000461047510
Canon 11	371511	4000461047527
Sony 20	371520	4000461047534
Nikon 31	371531	4000461047558
Nikon 40	371540	4000461048111

i Check compatibility of remote shutters with your camera at www.doerrfoto.de

Wireless Remote Shutter 100 m

The use of a wireless remote shutter is an effective way to avoid blurred images. The wireless shutter offers more practical functions: self-timer shots, inconspicuous shots of shy or dangerous animals or macro shots. The reliable wireless function within a distance range of 100 m provides more flexibility and comfort to the photographer.



- Wireless distance range: up to 100 m
- 16 Channels selectable (important for use with various camera, e.g. in photo studios)
- 4 Shutter modes: single frame, continuous shooting, delayed shooting (self-timer) BULB mode for long time exposure (if supported by the camera).
- Power source: Transmitter 12 V/23 A battery, Receiver 1x CR2 battery (both included)
- Function display: 2 color LED
- Frequency: 433 MHz

	Item No	EAN13
Canon C1	371460	4000461063039
Canon C3	371462	4000461063046
Nikon N1	371463	4000461063053
Nikon N3	371465	4000461063060
Sony S1	371466	4000461063077
Panasonic P1	371468	4000461063084

REMOTE SHUTTER WITH TIMER



Remote Shutter with Timer SRT-100

The wireless remote release with timer is ideal for time lapse photography, e.g. pictures of a flower that starts blooming, or for astro photography or many other applications.

- Range up to 100 m
- 4 channels selectable (essential in photo studios when various cameras are in use)
- 4 Shutter Modes: Self Timer, Bulb Mode, Timer Mode and Remote Shutter
- Exposure Counter
- Power source: 4x AAA Micro Batteries (included)
- Dimension: Transmitter 33 x 20 x 154 mm
- Weight: 65 g (transmitter w/o battery)

	Item No	EAN13
Canon C1	371470	4000461074370
Canon C3	371471	4000461074387
Nikon N1	371472	4000461074394
Nikon N3	371473	4000461074400
Sony S1	371474	4000461074417
Panasonic P1	371475	4000461074424
Olympus E2	371476	4000461074431

CYBRIT TRIPODS AND MONOPODS

The CYBRIT line comes in a modern design with perfect functionality. The tripods and monopods are made of high quality aluminum granting stability and lightness at a time. Moreover CYBRIT offers diversity – so you can choose according to your needs, no matter if it is for your photo studio, your next outdoor shooting or a holiday trip.

CYBRIT TRIPODS MINI – MEDI – MAXI

All CYBRIT tripod models feature the handy and safe clip closure, the foam grips and non-slip rubber tips. The center column is reversible for macro shots taken close to earth. For increased stability in case of use of a larger photo equipment an extra weight can be mounted at the hook at the bottom of the center column.

The 3 tripod sizes vary in the profile diameter. There is a choice in the number of leg sections – so it is up to the user if compactness or stability is first priority. Since also the handling requirements differ amongst the users, the tripods are fitted with 3 different heads.

i Tripod Case

The CYBRIT tripods are supplied with a top quality case with shoulder strap.



CYBRIT TRIPOD HEADS



BA 3D Ball Head

Professional ball head for horizontal and vertical shots. Comes with bubble level and quick-release shoe. Camera mount 1/4"

Available combinations:

CYBRIT MINI – BA 3D SMALL:

ø 24 mm, 166 g

CYBRIT MEDI – BA 3D MEDIUM:

ø 30 mm, 270 g

CYBRIT MAXI – BA 3D LARGE:

ø 36 mm, 360 g



TW 3-Way Panhead

Easy to use, for horizontal and vertical shots. Comes with bubble level and quick-release shoe. Camera mount 1/4"

Available combinations:

CYBRIT MEDI – TW SMALL:

320 g

CYBRIT MAXI – TW LARGE:

400 g



OH One-Hand 3-Way Grip Head

Superfast moves are possible thanks to the comfortable on-hand operation. Comes with quick-release shoe. Friction control, bubble level, camera mount 1/4", 420 g

Available combinations:

CYBRIT MINI & CYBRIT MAXI

CYBRIT QUICK RELEASE SHOES

Extra quick release shoes are available for all CYBRIT tripods.

Quick Release Shoes	Item No	EAN13
A (for Cybrit Mini 4-BA, Mini 5-BA)	386160	4000461074318
B (for Cybrit Mini 4-OH, Medi 4-OH)	386161	4000461074325
C (for Cybrit Medi 3-TW)	386162	4000461074332
D (for Cybrit Medi 3-BA, Medi 4-BA)	386163	4000461074349
E (for Cybrit Maxi 3-TW)	386164	4000461074356
F (for Cybrit Maxi 3-BA, Maxi 4-BA)	386165	4000461074363

CYBRIT MINI – COMPACT FOR TRIPS



Tripod Cybrit Mini 4-BA

- 4-section tripod ideal for photo and video starters
- Comes with Ball Head BA small
- Weight including head 1160 g
- Max. load 5 kg

Item No	EAN13
380310	4000461073724

Tripod Cybrit Mini 5-BA

- 5-section tripod in compact size, ideal for trips
- Comes with Ball Head BA small
- Weight including head 1160 g
- Max. load 5 kg

Item No	EAN13
380311	4000461073731

Tripod Cybrit Mini 4-OH

- 4-section tripod for friends of nature and sports photography
- Fitted with the OH One-Hand Grip Head for super fast moves
- Weight including head 1440 g, max. load 5 kg

Item No	EAN13
380312	4000461073748

TRIPOD FEATURES



BA 3D BALL HEAD SMALL

FEATURES



TRIPOD FEATURES



BA 3D BALL HEAD SMALL

FEATURES



TRIPOD FEATURES



OH ONE-HAND 3-WAY GRIP HEAD

FEATURES



CYBRIT MEDI – FOR AMBITIOUS PHOTOGRAPHERS



Cybrit Medi 3-TW Tripod

- Sturdy 3-section tripod
- Comes with the TW Three-Way Panhead small
- Weight including head 1560 g
- Max. load 10 kg

Item No	EAN13
380320	4000461073755

Cybrit Medi 3-BA Tripod

- Sturdy 3-section tripod
- Comes with Ball Head BA medium
- Weight including head 1540 g
- Max. load 10 kg

Item No	EAN13
380321	4000461073762

Cybrit Medi 4-BA Tripod

- Compact and sturdy 4-section tripod
- Comes with Ball Head BA medium
- Weight including head 1500 g
- Max. load 10 kg

Item No	EAN13
380322	4000461073779

Cybrit Medi 4-OH Tripod

- Compact and sturdy 4-section tripod
- Fitted with the OH One-Hand Grip Head for super fast moves
- Weight including head 1640 g
- Max. load 10 kg

Item No	EAN13
380323	4000461073786

TRIPOD FEATURES



TW THREE-WAY PANHEAD MEDIUM FEATURES



TRIPOD FEATURES



BA 3D BALL HEAD MEDIUM FEATURES



TRIPOD FEATURES



BA 3D BALL HEAD MEDIUM FEATURES



TRIPOD FEATURES



OH ONE-HAND 3-WAY GRIP HEAD FEATURES



CYBRIT MAXI – FOR GREAT BLURRING FREE SHOTS



Cybrit Maxi 3-TW Tripod

- Robust 3-section tripod of great stability
- Fitted with the TW Three-Way Panhead large
- Weight including head 1920 g
- Max. load 15 kg

Item No	EAN13
380330	4000461073793

TRIPOD FEATURES



29 mm 51 cm 132 cm 162 cm

TW THREE-WAY PANHEAD LARGE

FEATURES



400 g Bubble Level

Cybrit Maxi 3-BA Tripod

- Robust 3-section tripod of great stability
- Comes with Ball Head BA large
- Weight including head 1920 g
- Max. load 15 kg

Item No	EAN13
380331	4000461073809

TRIPOD FEATURES



29 mm 51 cm 132 cm 165 cm

BA 3D BALL HEAD LARGE

FEATURES



36 mm 360 g Bubble Level

Cybrit Maxi 4-BA Tripod

- 4-section tripod of great stability
- Comes with Ball Head BA large
- Weight including head 1900 g
- Max. load 15 kg

Item No	EAN13
380332	4000461073816

TRIPOD FEATURES



29 mm 45 cm 136 cm 165 cm

BA 3D BALL HEAD LARGE

FEATURES



36 mm 360 g Bubble Level



AIRPOD / PROFI PSM 250 / CITY HOPPER II



A + B Airpod 140 & 150 Carbon Tripods

Lightweight Carbon tripods ready for many tasks.

A Airpod 140: 4 sections

B Airpod 150: 3 sections

- Carbon tripod legs with rubber tips and spikes
- Hook for additional weight
- Additional short column for shots close to earth
- Mount: ¼" and ⅜" (rotatable)
- Integrated bubble level
- Foam rubber grips
- Tripod case with shoulder strap

Airpod	Item No	EAN13
140	372744	4000461045356
150	372745	4000461045363

C Profi PSM 250 Tripod

5-section tripod made of a magnesium blend. The perfect solution for all-round photographers.

- Spectacular height, rotatable center column with ⅜" mount, tripod legs can be spread widely for close to macro shots (min. distance 31.5 cm).
- Foam rubber grips on two legs
- Rubber tips with spikes
- Supplied with well-padded case with shoulder strap.

Item No	EAN13
372727	4000461035241

PSM 250

 47 cm	 1180 g	 58 cm	 1380 g	 83 cm	 2800 g
 115,5 cm	 4 kg	 124 cm	 6 kg	 230 cm	 10 kg
 141 cm		 157 cm		 250 cm	
 22 mm		 25 mm		 32 mm	

D Carbon Tripod City Hopper II

Ultra lightweight and compact carbon tripod with ball head.

- 5 sections with "Twist-Lock"
- Center column with 2 extensions
- Spread angle of tripod legs adjustable in 3 steps
- Rubber tips
- Supplied with case
- Optional additional quick release shoe (Item No 380187)

Item No	EAN13
380186	4000461077395
380187	4000461077401

CITY HOPPER II

 33 cm	 695 g
 60 cm	 5 kg
 132 cm	
 23 mm	

HQ TRIPODS WITH BALL HEAD HQ33

Noble design combines with refined details fulfills even highest demands of professional photographers:

Screw-type closure · ¼" and ⅜" camera mount (reversible) · Rubber tips screw-out spikes · Flip legs 180 degrees for macro function · Accessory net · Foam grip

One leg of the the 3-section tripods can be twisted off and used as a monopod in combination with the center column.



HQ1650 & HQ1615 Aluminum Tripod with Ball Head HQ33

Made of high quality aluminum, solid material CNC milled.

2 Types:

- HQ1650 Aluminum Tripod – 4 sections
- HQ1615 Aluminum Tripod – 3 sections

Scope of Delivery:

- Tripod with ball head HQ33 including quick-release shoe
- Well-padded tripod case with handle and shoulder strap

HQ1650C & HQ1615C Carbon Tripod with Ball Head HQ33

Made of high quality carbon with 8 layers, solid material CNC milled.

2 Types:

- HQ1650C Carbon Tripod – 4 sections
- HQ1615C Carbon Tripod – 3 sections

Scope of Delivery:

- Tripod with ball head HQ33 including quick-release shoe
- Well-padded tripod case with handle and shoulder strap

				Item No	EAN13
Aluminium	HQ1650	4 Sections	with Ball Head HQ33	380114	4000461077302
	HQ1615	3 Sections	with Ball Head HQ33	380118	4000461073526
Carbon	HQ1650C	4 Sections	with Ball Head HQ33	380115	4000461077319
	HQ1615C	3 Sections	with Ball Head HQ33	380117	4000461075100

HQ1650 4 Sections



HQ1615 3 Sections



HQ1650C 4 Sections



HQ1615C 3 Sections



TRIPOD HEADS

A Head 3D Tripod Head

Functional 3D tripod head with quick-release shoe. Extra quick-releases available. With quick-release function and friction control. Adjustable in 2 positions. With bubble level.



- Weight: 780 g
- Max. load: 6 kg
- Height: 140 mm
- 1/4" camera mount

Item No	EAN13
386131	4000461046629

Take & Shoot Tripod Head for Fast Shots

Highly flexible fast shooting tripod head comes with friction control and grip for tightening and loosening the head. Supplied with two quick-release shoes 1/4". Flexible use in 2 base positions.



- Weight: 630 g
- Max. load: 3 kg
- Height: 140 mm
- 1/4" camera mount

Item No	EAN13
373505	4000461045462

Ball Head UB-18

Compact ball head 18 mm. Quick release shoe 1/4" with safety bar. Bubble level.



- Weight: 140 g
- Max. Load: 2 kg
- Height: 70 mm
- 1/4" camera mount

Item No	EAN13
386118	4000461069765

DB 22 Ball Head

3D Ball head with quick-release shoe. Extra quick-release shoe available. Tripod mount 3/8" and 1/4", with bubble level.



- Weight: 360 g
- Max. load: 3 kg
- Diameter: 32 mm
- Height: 100 mm
- 1/4" camera mount

Item No	EAN13
380155	4000461056680

HB-24 Ball Head

Compact professional ball head with panorama scale. Friction control variably adjustable. Quick release shoe 1/4" with safety bar. Bubble level.



- Weight: 260 g
- Max. Load: 4 kg
- Diameter: 24 mm
- Height: 80 mm
- 1/4" and 3/8" camera mount

Item No	EAN13
386124	4000461069772

HB 36 Heavy Ball

3D Ball head with quick-release shoe and 360° panorama setting. Extra quick-release shoe available. Tripod mount 3/8" and 1/4".



- Weight: 460 g
- Max. load: 6 kg
- Diameter: 36 mm
- Height: 95 mm
- 1/4" camera mount

Item No	EAN13
386136	4000461045431

TRIPOD HEADS



HQ33 Tripod Head

- Friction control
- Panorama scale
- 3/8" tripod connector
- Movable quick release shoe with support loop
- 3 step locking system for quick release
- 1/4" camera mount

- 33 mm
- 101 mm
- 450 g
- max. 15 kg

Item No	EAN13
380120	4000461075117

HB 45 Heavy Ball

3D Ball head with quick-release shoe and 360° panorama setting. Additional quick-release available. Tripod mount for 3/8" and 1/4".



- Weight: 620 g
- Max. load: 10 kg
- Diameter: 45 mm
- Height: 110 mm
- 1/4" camera mount

Item No	EAN13
386145	4000461045448

SPARE QUICK RELEASE SHOES

Do you own more than one camera or lenses with tripod mount? If yes, it will make sense to attach one quick-release shoe to every tripod mount. So you can react more flexibly and faster – the required gear is quickly mounted on the tripod. The additional quick-release also serves as spare ones.

Quick Release Shoe for	Item No	EAN13
A Head 3D	386151	4000461048067
UB-18	380401	4000461066399
DB-22	380157	4000461060281
HB-24	386127	4000461069789
HB Heavy Ball 36/45	386150	4000461048036
HQ33	380119	4000461075087

PRO BLACK TRIPOD SERIES

A sturdy tripod assists in taking pictures with perfect sharpness. The most wanted features of a tripod are sturdiness, easy set-up, long lasting and lightweight. The PRO Black tripod series combines these features.

- Tripod legs with one-touch leg locks, rubber tips and spikes (ProBlack 1 only).
- The tilt angle can be changed in three steps for macro shots
- Rubber foam grips allow comfortable use even at cold temperatures
- Pan & tilt ball head with integrated bubble level
- Supplied with case

- A** Pro Black 1
- B** Pro Black 2
- C** Pro Black 3XL



A Pro Black 1

- 4 sections
- Centre column can be split in two parts
- Ball head with 1/4" quick-release shoe
- Max. spread: 74 - 219 cm

Item No	EAN13
380150	4000461054556

54 cm	1440 g
127,5 cm	2,5 kg
155 cm	

B Pro Black 2

- 3 sections
- 3-way panhead or vertical and horizontal shots with quick release shoe 1/4"
- Max. spread: 95 - 224 cm

Item No	EAN13
372748	4000461054518

70 cm	2130 g
126,5 cm	3 kg
162 cm	

C Pro Black 3XL

- 3 sections
- 3-way panhead or vertical and horizontal shots with quick release shoe 1/4"
- Max. spread: 113 - 275 cm

Item No	EAN13
372755	4000461059056

83 cm	2680 g
153,5 cm	5 kg
193 cm	



Pro Black 3XL

SPARE QUICK RELEASE SHOES

For the PRO BLACK tripod series we offer spare quick-release shoes.

Quick Release Shoe for	Item No	EAN13
Pro Black 1	380157	4000461060281
Pro Black 2	386154	4000461050794
Pro Black 3XL	372756	4000461061264

PLANAPOD ALUMINUM TRIPODS

5 section tripod - Folds extremely flat and compact - Extra extension column 18 - 29 cm - Spread angle of tripod legs can be adjusted in 3 steps - Rubber tips - Bubble level - Supplied with case



A Planapod PP-220A Aluminum Tripod with DB-28 Ball Head

- Maximum spread : 189 cm

B Planapod PP-250A Aluminum Tripod with HB-24 Ball Head

- Maximum spread: 204 cm

Item No	EAN13
380122	4000461069741

Item No	EAN13
380125	4000461069758

	46,5 cm		1240 g
	126 cm		3 kg
	157 cm		
	22 mm		

	49,5 cm		1440 g
	134 cm		4 kg
	163 cm		
	24 mm		

SPARE QUICK RELEASE SHOES

Quick Release Shoe for	Item No	EAN13
Ball Head DB-28 (Planapod PP-220A)	386128	4000461075490
Ball Head HB-24 (Planapod PP-250A)	386127	4000461069789

HD PHOTO & VIDEO TRIPODS

Robust tripod series well suited for taking pictures or films. Extra value for the user: the center column can be used as a monopod. 3-way panhead for vertical and horizontal shots, quick-release shoe with 1/4" camera mount. Comes with bubble level, rubber tips with spikes and case.



HD 606V

- 3 sections
- Maximum spread: 86 cm

Item No	EAN13
380266	4000461045417

	61 cm		1960 g
	131 cm		4 kg
	163 cm		
	25 mm		

HD 808V

- 3 sections
- Maximum spread: 145 cm

Item No	EAN13
380288	4000461045424

	70 cm		2820 g
	153 cm		5 kg
	188 cm		
	28 mm		

SPARE QUICK RELEASE SHOES

Quick Release Shoe for	Item No	EAN13
HD 606 V & HD 808 V	380286	4000461048050

PHOTO & VIDEO TRIPODS

Little Joe – Photo & Video Tripod

- 3 sections, one-touch leg locks, rubber tips and height adjustment crank
- 3-way panhead with bubble level, and quick-release plate ¼" camera mount for horizontal and vertical shots
- Supplied with case
- Max. spread: 70 cm



Item No	EAN13
372750	4000461056239

 49 cm	 700 g
 97,5 cm	 2,5 kg
 122 cm	
 20 mm	

Friend III – Photo & Video Tripod

- 3 sections, one-touch leg locks, rubber tips and height adjustment crank
- 3-way panhead with bubble level, and quick-release plate ¼" camera mount for horizontal and vertical shots
- Supplied with case
- Max. spread: 100 cm



Item No	EAN13
380063	4000461025549

 57 cm	 1115 g
 126,5 cm	 2,8 kg
 151 cm	
 22 mm	

King Tripod

- 3 sections, one-touch leg locks, rubber tips and height adjustment crank
- 3-way panhead with bubble level, and quick-release plate ¼" camera mount. for horizontal and vertical shots
- Supplied with case
- Max. spread 98 cm



Item No	EAN13
380056	4000461025556

 64 cm	 1600 g
 139 cm	 4 kg
 170 cm	
 23 mm	

SPARE QUICK RELEASE SHOE

For Little Joe Tripod (Item No 372750)

Item No	EAN13
372751	4000461060373

PHOTO & VIDEO TRIPODS

HK-2000 Tripod

- Sturdy and extremely short 3-section tripod comes with one-touch leg locks, rubber tips and height adjustment crank
- 3-way panhead with ¼" camera mount for horizontal and vertical shots, bubble level
- Supplied with case
- Max. spread: 40 cm



Item No	EAN13
380301	4000461005930



TOP Tripod

- 4 sections, one-touch leg locks, rubber tips
- Designed for use with small DSLR camera, mirror-less and bridge cameras
- Flexibly spreadable legs
- Panhead with variable setting for vertical and horizontal shots, quick-release shoe ¼" and bubble level
- Supplied with case
- Max. spread: 188 cm



Item No	EAN13
380033	4000461031854



Hercules Tripod

- 4 sections, one-touch leg locks, rubber tips and height adjustment crank
- 3-way panhead with quick-release plate ¼" camera mount for horizontal and vertical shots, with bubble level
- Supplied with case and accessory net, which can also be used to create extra weight
- Max. spread: 95 cm



Item No	EAN13
380045	4000461019456



SPARE QUICK RELEASE SHOE

For Adventure Tripod (Item No 380045)

Item No	EAN13
380047	4000461071935

NEST TRIPODS NT-235K SERIES

The NEST tripods are fitted with the practical one-touch leg locks and rubber foam grips, hook for additional weight and reversible center column for macro shots and rubber tips.

NEST tripods come with a high quality tripod case with shoulder strap.

- 5 section tripod with ball head

- A NEST Tripod black
- B NEST Tripod silver
- C NEST Tripod golden
- D NEST Tripod red



	Item No	EAN13
NEST Tripod black	380350	4000461073854
NEST Tripod silver	380351	4000461073861
NEST Tripod golden	380352	4000461073878
NEST Tripod red	380353	4000461073885
Quick-Release Shoe for	Item No	EAN13
NEST NT-235K	386160	4000461074318



Ball Head

- Diameter: 24 mm
- Bubble level
- Weight: 167 g

TRIPOD ACCESSORIES



Panamatic Plus Panorama

Creates fantastic seamless panorama pictures for up to 360°. Bubble level for quick adjustment. Turns regular lens into a super wide-angle lens.

- 360° Index wheel – takes up to 12 pictures
- ¼" tripod mount
- Includes CD Panorama Maker 3.5 stitching software by ArcSoft multi-language (Full Version)

Item No	EAN13
380055	7762930170002



Bubble Level

Connects to the camera's flash shoe or accessory shoe of camcorders. Comfortable way to balance your camera.

Item No	EAN13
101025	4000461037849



CYBRIT MONOPODS – GREAT FOR OUTDOOR PHOTOGRAPHY

Thanks to its compact construction the monopod is the perfect companion for outdoor photography. The monopods are supplied with case with shoulder strap.



Cybrit Mini 15 Monopod

- Super lightweight 5-section monopod
- Camera mount ¼" and ⅜"
- Max. load 10 kg

Item No	EAN13
380340	4000461073823



Cybrit Medi 16 Monopod

- Sturdy yet lightweight 5-section monopod
- Camera mount ¼" and ⅜"
- Max. load 15 kg

Item No	EAN13
380341	4000461073830



Cybrit Maxi 18 Monopod

- Sturdy and compact 5-section monopod
- Camera mount ¼" and ⅜"
- Max. load 15 kg

Item No	EAN13
380342	4000461073847




RAPID SERIES & MONOPODS

Rapid Tripod & Monopod with Gun Rest

The Rapid tripods and monopods feature an ergonomic shaped handle with quick release. Height can be adjusted stepless in seconds with just one hand!

Monopod MP 148 BC & Monopod 170

Pro monopods with 3-way panhead, quick-release shoe and 1/4" mount for horizontal and vertical shots. With rubber grip and rubber tip.



A Monopod MP 148 BC
B Monopod 170


- Tripod mount 1/4" and 3/8" to connect a tripod head, binocular, telephoto lens, spotting scope or camera.
- Supplied with detachable rubber V-rest for rifles or telephoto lenses

- A RAPID Tripod
- B RAPID Monopod

Tripod Features



Monopod Features



Monopod MP 148 BC

- 2 sections, 3way panhead with panorama function. Supplied with clip for belt fixation.
- Maximum load: 2 kg



Monopod 170

- 4 sections, spikes, lens rest and case, without panhead.
- Maximum load: 3 kg



	Item No	EAN13
Rapid Tripod, black	380065	4000461074653
Rapid Monopod, black	380067	4000461074677

	Item No	EAN13
MP 148 - BC	380148	4000461052149
Monopod 170	380170	4000461042355

LENS & RIFLE RESTS



Rifle Rest for RAPID

Rest for lenses and rifles. 3/8" tripod mount. Additional or spare rest for Rapid tripods or monopods or other tripods or monopods.

Item No	EAN13
380069	4000461075391



Lens & Rifle Rest

Lens & rifle rest avoids blurred images. Comes with 1/4" tripod mount.

Item No	EAN13
380425	4000461047008

LEKI

LEKI SIERRA FS Hiking Pole

Monopod with 3 sections. Hiking pole with height adjustment and removable lid. Below the lid: ¼" camera mount. Metal tip with rubber buffer.

- 3 sections



Item No	EAN13
380092	4028173136285



RUBBER BUFFER FOR LEKI POLES

Optimum grip for paved roads.

Item No	EAN13
380095	4028173174072

RUBBER BUFFER SILENT SPIKE

Item No	EAN13
380088	4028173026982

LEKI FS CARBON & LEKI FS ALU Trekking Poles

Trekking pole with speed lock – fast, easy and safe. With integrated photo adapter for sharp images and films. Metal tip with rubber buffer and wrist strap.



- A FS Carbon black/gold: 4 sections
- B FS Alu black/white/red: 3 sections

FS Carbon



FS Alu



	Item No	EAN13
FS Carbon	380098	4028173229017
FS Alu	380099	4028173229024

LEKI CARBONLITE XL

Pair of Trekking Poles with Photo Adapter

2 poles in a kit. Performance requirements of a trekking pole are manifold. It should be rigid, lightweight and comfortable just to mention some of the main features. Each component is optimized for its own task.



- Carbide metal flex tip with disk
- Super Lock System: 3 sections
- Supplied with 1 photoadapter and cover



Item No	EAN13
380094	4028173025923

MINI PODS

KiPod

Micro pod for compact cameras, available in 3 colors.



- Can be mounted at a bunch of keys
- Turn the middle tripod leg to tighten or loosen the ball head
- ¼" camera mount
- Weight: approx. 14 g; height: approx. 7/9 cm

	Item No	EAN13
black	380415	4000461051746
silver	380416	4000461051753
blue	380417	4000461051760

Mini Velcro Pod / Mini Velcro Pod with Ball Head

For digicams and action cams.



- Can be fixed at bicycles, motor cycles, bars and more with Velcro
- Lateral legs can be swung out. Sturdy and super flat
- Adjustable ¼" mount

Mini Velcro Pod with Ball Head (B)

- Removable ball head ¼" camera mount

	Item No	EAN13
Mini Velcro Pod	380017	4000461053924
Mini Velcro Pod with Ball Head	380018	4000461053931



A Mini Velcro Pod
B Mini Velcro Pod with Ball Head

Table Clamp

For digicams and action cams.



- Can be fixed firmly on rods, fences or branches.
- Best for action videos taken while your digicam is mounted on your bike handlebar
- Removable ball head, ¼" camera mount

Item No	EAN13
380016	4000461053917

Flexi Mini Tripod

Der kompakte Klassiker.



- Classical pocket pod
- Metal table tripod, black, with flexible legs
- Height 12 cm

Item No	EAN13
380420	4000461007767

Triflex Mini Pod

Extremely compact mini pod with flexible legs for digicams.



- Great on trips
- Height: 12,5 cm

Item No	EAN13
380422	4000461063374

TRAVEL & TABLE PODS

Traveller Pod TR-8105

Compact 8-section travel tripod.



- Height-adjustable telescopic legs, 3-way triopod head, non-slip rubber feet
- Height extended: 105 cm
- Height folded: 28 cm
- Max. load: 1 kg
- Weight: 388 g

Item No	EAN13
380445	4000461075148

Superflex Pod Table Pod

Extremely flexible tripod.



- Can be mounted in branches or around handrails for creative shots from new perspectives
- Flexible legs, ball head with quick-release shoe and ¼" camera mount
- Height: 27,2 cm; Profile: 19 mm
- Max. load: 1 kg
- Weight: 156 g

Item No	EAN13
380015	4000461053900

Ulti-Mo Table Pod

Extremely robust table and travel pod.



- Made of metal – for all that handy and lightweight
- Ball head with bubble level
- Quick-release shoe ¼" with safety lock
- Non-slip rubber tips; supplied with case
- Height: 18 cm
- Max. load: 3 kg
- Weight: 320 g

Item No	EAN13
380400	4000461057403

SPARE QUICK RELEASE SHOE FOR ULTI-MO

Item No	EAN13
380401	4000461066399

Micro Ball Mini Pod

Stable table pod with ball head and ¼" camera mount.



- Available in black and silver color
- Height min/max: 14 - 17 cm
- Weight: 56 g

Item No	EAN13
380428	4000461053849

Mini Ball Plus Mini Pod

2 section tripod with ball head and rubber tips.



- ¼" camera mount
- Available colors: black, blue, champagne
- Height min/max: 14 - 20,5 cm
- Max. load: 2 kg
- Weight: 80 g

Item No	EAN13
380429	4000461053856

Mini Click Mini Pod


3 section tripod with ball head.



- Quick-release shoe ¼"
- Telescopic legs with rubber tips
- Height: 7,2 - 29 cm; Profile: 16 mm
- Max. load: 2 kg
- Max. spread: 17,5 cm
- Weight: 76 g

	Item No	EAN13
black	380474	4000461052095
grey	380475	4000461052101

CAMERA STRAPS & BAG BELTS



Item	Length app.	Width	Material	Description	Item No	EAN13	
A	Neck Strap	40 cm	0,2 cm	Metal	Stylish way to carry your digicam	101001	4000461031410
B	SPEEDY Hand Strap	27 cm	0,4 cm	Fabric/ Metal	By pushing the button, the camera can be released easily	350480	4000461048913
B+C	Speedy Strap Kit	53 cm	0,4 cm	Fabric/ Metal	Content: 1x wrist strap, 1x neck strap, 1x camera adapter	350482	4000461048937
D	Wrist Strap	22 cm	0,6 cm	Imitation Leather	Elegant wrist strap for digi cams with sturdy carabiner hook and camera loop	350476	4000461048081
E	Neck Strap	48 cm	0,6 cm	Imitation Leather	Elegant neck strap for digi cams with sturdy carabiner hook and camera loop	350475	4000461048074
F	BASIC Camera Strap	max. 140 cm (variable)	4 cm	Fabric	Made of robust fabric with quick-release clip and metal loop. Color: black	350467	4000461050213
F	BASIC Camera Strap Kit	max. 140 cm (variable)	4 cm	Fabric	Made of robust fabric with quick-release clip and metal loop. In assorted colors	350465	4000461050190
G	NEOPRENE Strap black	max. 140 cm (variable)	4 cm	Neoprene	Camera strap made of robust Neoprene. Comes with quick-release clips and sturdy metal loop. Non-slip rubber surface on rear side.	350470	4000461027888
H	Comfort Camera Strap	130 cm	4-6 cm	Fabric	Robust camera strap with extra comfortable soft padding. Non-slip cover. Quick-release clip and metal loop.	350450	4000461051357
I	"Pump Up" Carrying Strap	100 cm	2-5 cm	Fabric	The strap can be adjusted to the camera's weight for optimum comfort. The incorporated pump adds air into the strap, the valve releases the air to make the strap more soft.	350444	4000461031861

CROSS STRAP



Cross Strap ST-90X – Camera Carrying Strap

The crosswise carrying style grants safe camera carriage close to the body. It provides relief to your neck while both hands are free. When needed, you have quick and easy camera access.

- Padded shoulder pad with extra compartment e.g. for memory cards
- Rubberized camera plate with ¼" camera mount and tripod socket
- Adjustment of length is fully variable
- Safety hook



Item No	EAN13
350440	4000461074738



WRAP CLOTH



Wrap Cloth S-XL

Perfect protecting for your valuable equipment. The lightweight wrapping cloth is made of Neopren and stretches by up to 30% whereby it keeps its shape. The cloth very well adapts to your gear. Well suited for cameras, camcorders, lenses and more photo accessories but also Tablet PCs or similar. The surface is resistant to abrasion and does not charge statically. The cloth can be cleaned with a damp sponge.

Color:

- outside: light blue
- inside: dark blue

Available in 4 sizes:

- S = 20 x 20 cm
- M = 28 x 28 cm
- L = 38 x 38 cm
- XL = 48 x 48 cm

LASER POINTERS



Laser Pointer with Key Ring

Laser pointer on key ring with carabiner hook. For meetings, presentations and slide show control.

- Max. Output: 1mW
- Wave Length: 630 - 650 mW
- Range: 50 m
- Supplied with 2x 1,5V LR44 test batteries)

Item No	EAN13
990895	4000461018497



Remote Control with Laser Pointer

Laser pointer with red light beam, also serves as remote control for Powerpoint.

For Windows 98SE.ME.2000.XP/Vista 7/8

Item No	EAN13
990897	4000461023576



	Item No	EAN13
S	900901	4030432025001
M	900902	4030432026008
L	900903	4030432027005
XL	900904	4030432028002

POWER BANK 13200 mAh BLACK



Power Bank 13200 mAh black

Powerful, mobile 5V USB energy source of a capacity of 13200 mAh/5 V (66 Wh) for universal use. On trips the pocket size power tank offers extra energy for all USB devices, such as e.g. iPhones, iPods, Smartphones, Tablets PCs, navigation system, MP3 players, cameras and more.

- Lithium Ion battery with 2 USB outputs: 5 V/1 A und 5 V/2.1 A
- LED light
- Short circuit and over charge protected
- Minor self-discharge
- Auto power off when the charging process is completed
- LCD for capacity and charging status
- Soft-Touch surface

Item No	EAN13
980588	4000461076725



Double Side Charger

Double side charger for Li-Ion & Li-Polymer batteries 3,6 - 7,4 V for digital cameras and camcorders. Main features: auto power off, temperature control and reverse polarity protection.

- Input: AC 110 - 240 V/50 - 60 Hz
- Output: 450 mA (4,25 V or 8,55 V max. charging current)
- Auto power off to prevent over-charging

i For up-to-date compatibility information for the Double Side Charger visit www.doerrfoto.de

	Item No	EAN13
Canon	977059	4000461038099
Casio/Fuji/ Kodak	977061	4000461038082
Minolta	977058	4000461044465
Nikon	977062	4000461038112
Olympus/ Fuji	977078	4000461038136
Panasonic	977063	4000461038129
Pentax/ Ricoh/Sanyo	977087	4000461044472
Sony	977014	4000461038105



i We offer a wide assortment of replacement Li-Ion and Li-Polymer for a great number of camera brands and types. For details please visit www.doerrfoto.de

USB AC ADAPTER & NIMH BATTERIES



USB AC Adapter

Charge your USB devices as e.g. MP3 player, navigator, mobile phones, digital cameras, external hard disks, portable paddles and more directly from your mains supply at home, in the office or on trips. Simply plug the adapter to the USB socket of your device and plug into mains supply. It starts loading right away!

- Input: AC 110 - 240 V, 50/60 Hz 100 mA
- Output: DC 5,0 V/ 800 mA
- Time and energy saving of up to 30%

Item No	EAN13
980358	4000461056406



Instant NiMH Batteries

Instant batteries feature an extremely low discharge in comparison to other rechargeable battery packs. Instant batteries are supplied pre-charged and in many cases, they are ready for use on purchase.

- 4x 2350 mAh batteries

Item No	EAN13
980635	4000461050510

UNIVERSAL CHARGERS



Universal Charger LCD 1

Ideal charger for batteries of digital cameras, camcorders, mobile phones, MP3 players and much more! The LC display indicates important information: Battery type, voltage and charging status.

- Charges 3,6 - 3,7V and 7,2 - 7,4 rechargeable Li-Ion batteries (not compatible with INFO Lithium and the following batteries: SONY NP-FR1, NP-FC10/CANON LP-E6 etc.)
- Charges 1 or 2 NiMH AA or AAA round cells
- Input Voltage: AC 100 - 240V, 50 - 60Hz (with AC adapter)
- Trickle charge & Auto cut off function, Automatic polarity detection +/-
- Supplied with: AC adapter AC100 - 240 V, 50 - 60 Hz and car/boat DC 12 V adapter

Item No	EAN13
980355	4000461060526



Universal Charger LCD 2 USB

Universal charger with USB output to charge iPhone, iPod, iPad and mobile phones via the supplied USB/iPhone& iPad cable with interchangeable Micro USB adapter.

- Compatible with most 3,6 - 3,7 V or 7,2 - 7,4 V Lithium-Ion batteries. Not compatible with INFO Lithium batteries and SONY NP-FR1, NP-FC10/CANON LP-E6 batteries etc.
- Well suited for rechargeable NiMH batteries: 2x AA, 2x AAA or 1x 9V
- LCD indicates battery type, voltage and charging status
- Powered by AC Adapter AC 100 - 240 V or car/boat DC 12V adapter (both included)

Item No	EAN13
980340	4000461065927



Universal Charger C-3

The C3 charger features a battery activator function to revive deeply discharged Li-Ion batteries. It also boasts of an automatic polarity and voltage detection.

- Charges all* 3.4 - 4.2 V and 6.8 - 8.4 V Li-Ion/Li-Po battery packs
- Automatic polarity and voltage detection for Li-Ion batteries
- Battery activator function revives deep discharged Li-Ion batteries
- 4x NiMH/NiCad AA Mignon/AAA Micro (charging time 2 - 8 hours, charging current 400 mA)
- Supplied with 100 - 240 V EU AC adapter, 12V car adapter, instructions

Item No	EAN13
980354	4000461070303



Universal-Quick-Charger C4

Charges all iPhones, iPads and iPods via the dual USB charging output using the original charging cable. Two smartphones can be charged simultaneously with 4 (2+2) NiMH / NiCad AA Mignon / AAA Micro rechargeable batteries or one Li-Ion/Li-Po battery. The "battery activator" function revives deep discharge Li-Ion batteries. Automatic polarity and voltage detection for Li-Ion batteries.

- Charges all* 3.4 - 4.2 V + 6.8 - 8.4 V Li-Ion/Li-Po battery packs
- 4 (2 + 2) NiMH / NiCad AA Mignon / AAA Micro
- Charge time 1 - 4 hours, charge current 800 mA
- 2x USB charge output 5 V/2 x 1 A – iPad, iPhone, iPod and smart phone ready
- Including 100 - 240 V AC Adapter, 12 V car adapter, USB charge cable with micro & mini plugs for none Apple compatible devices

Item No	EAN13
980357	4040064000048



*) Chargers C-3 and C4:

The following batteries cannot be charged:

- Canon BP-809, BP-819, BP-827, LP-E6
- Kyocera BP-800/1000
- Leica M8 battery pack
- 3.4 - 4.2 V Li-Ion/Li-Po round cells: 14500, 10440, 18650, 26650 and all other types
- 3 V Lithium batteries CR-V3, CR123A

HD VIDEOBRILLEN



Eyewear HD Video

Video: 1280 x 720 px with 30 fps

- Audio: 8 kHz sampling rate, 16bit resolution, mono
- Codec: container format AVI; video format: H.264
- Incorporated 550 mAh Lithium Polymer battery Akku; operation time 1,5 - 2 h
- One-touch recording quick start
- Compatible with Micro SD cards up to 32 GB
- Ambient Temperature: -5 °C up to +40 °C, Weight: 57 g, Size: 145 x 70 x 47 mm (folded)
- Operating Systems: Win7, WinMe, WinXP, Win2000, WindowsVista, Mac OS 10.5
- Exchangeable transparent and grey glasses (increases contrast)

Supplied in hard case with USB cable, USB AC adapter, cleaning tissue, 2 pairs of glasses

Item No	EAN13
204243	4000461056901

Inconspicuous video filming even with audio recording from your viewing direction – both hands are free.

The video glasses are well suited for sports, action, holidays but also professional filming tasks. The video clips are stored on Micro SD memory cards.

Transmission to PC via USB – the battery is charged while connected to the computer. For viewing the videos use Quick Time 7.6 or Real Player 11.



HD Video & Photo Eyewear 720P12 Black

Same as Eyewear HD Vide, additionally: rubber frame.

Takes photos in JPEG format, max. 2MP

- Operating Systems: Win7, WinXP, WindowsVista, Mac OS 10.X, Linux as of Kernel 1.6.20
- Weight: 50 g, Size: 155 x 60 x 40 mm (folded)
- Incorporated 650 mAh Lithium Polymer battery, operation time approx. 2 h
- 3 pairs of exchangeable glasses, yellow, grey, transparent

Supplied in hard case with USB cable, USB AC adapter, cleaning tissue, 3 pairs of glasses

Item No	EAN13
204250	4000461068577

ACTION CAMERAS



Mini HD Video Camcorder

Mini HD Video Cam – smallest waterproof HD video camcorder (22 x 78 mm; 32,5 g) with incorporated battery.

- Video: 1280 x 720 px, 30 fps; Video format H.264; Pixel max. 3 MP
- Audio: 8 kHz sampling rate, 16 bit resolution, mono
- 2 lids: one with microphone hole (waterproof down to 1 m), one w/o microphone hole (waterproof down to 10 m, IP68)
- Uncomplicated use and PC/Laptop connection
- Real time recording display, blinking signal
- Compatible with Micro SD memory card up to 32 GB
- Incorporated 500 mAh Lithium Polymer battery, operation time 1,5 - 2 h
- AC adapter 5V DC/500 mAh; Power consumption < 1 W
- Supported players: KMPPL Player, Quick Time 7.6, Storm 2012, Real Player 11
- Operating Systems: Win7, WinMe, WinXP, Win2000, Windows, Vista, Mac OS 10.5

Supplied with: strap for helmet and more, Velcro mounting, USB cable, 2 lids and sealings

Item No	EAN13
204244	4000461056918

We also distribute **JOBO** Carcams.



LED ZOOM TORCHES

LED Zoom Torch SL-2544

Torch with ultra-bright 3W CREE® LED/200 Lumen.



- Light focus adjustable
- Light range approx. 150 m.
- Sturdy aluminum body, wrist strap
- Length 250 mm, ø 44 mm
- Weight 250 g (w/o batteries)
- Supplied with 3x C batteries

Item No	EAN13
980395	4000461070396

LED Zoom Torch SL-2035

Torch with ultra-bright 3W CREE® LED/200 Lumen.



- Light focus adjustable
- Light range approx. 150 m
- Sturdy aluminum body, wrist strap
- Length 200 mm, ø 35 mm
- Weight 200 g (w/o batteries)
- Supplied with 6x AAA batteries

Item No	EAN13
980396	4000461070402

LED Zoom Torch black

Torch with ultra-bright 3W LED/120 Lumen



- LED lifetime: approx. 100.000 h
- Light focus adjustable
- Light range approx. 150 m
- Sturdy aluminum body, carrying strap
- Supplied with 3x AAA batteries

Item No	EAN13
980380	4000461068676

POCKET LIGHTS & ACCESSORIES

X24 Plus Torch

Ideal for outdoor activities.



- Torch with magnet and hook
- Available colors: yellow, blue, red
- 24 LEDs 13000 mcd/ca. 200 Lux
- 4 LEDs 13000 mcd/ca. 80 Lux
- LED lifetime approx. 100.000 h
- Supplied with 3x AAA batteries



Item No	EAN13
980375	4000461060571

Pocket Light P-284

Torch with 28 + 4 LEDs.



- Comes with hook & magnet for hanging
- Brightness 13000 mcd
- LED lifetime approx. 100.000 h
- Foldable & 360° rotatable
- Measurements: 105 x 52 x 35 mm
- Supplied with 3x AAA batteries



Item No	EAN13
980390	4000461070358

Bicycle Holder for Torches



- For torches up to a diameter of 32 mm, e.g. DÖRR Zoom LED, Torpedo and CL-9
- Fits handlebars up of diameter approx. 16 - 32 mm

Item No	EAN13
980385	4000461068683

LED TORCHES

Torpedo Torch

Torpedo is a compact and lightweight torch.



- Fits in every pocket
- Available colors: blue, black and red
- 9 LEDs 13000 mcd/app. 180 Lux
- Aluminum torch
- LED lifetime app. 100.000 hours
- Supplied with 3x AAA batteries



Item No	EAN13
980370	4000461060533

Torch CL-9 camo orange

Compact aluminum torch with 9 LEDs.



- 13.000 mcd/app. 180 Lux,
- LED lifetime approx. 100.000 h
- Length approx. 88 mm
- Supplied with 3x AAA batteries & hand strap



Item No	EAN13
980398	4000461070877

LED Slim Torch SL-2025

Slim torch with magnet and hand strap.



- 24 LED lateral & 1W LED front (50 + 50 Lumen)
- Rubberized finish
- Length approx. 200 mm
- Weight approx. 58 g (w/o batteries)
- Supplied with 4x AAA batteries



Item No	EAN13
980376	4000461075056

LED Torch with Magnetic Head TLM-556

Telescopic torch with flexible magnetic head.



- Available in 4 colors
- 3 extra bright LEDs
- Length approx. 169 mm/560 mm
- Weight approx. 90 g (w/o batteries)
- Supplied with 4x LR-44 batteries



Item No	EAN13
980490	4000461075001

LED Camping Light CL-1285 silver

LED camping light with ultra bright 1W LED (90 Lumen).



- Versatile brackets for hanging
- Diameter approx. 84 mm
- Transport height approx. 124 mm
- Extended height approx. 165 mm
- Weight approx. 259 g (w/o batteries)
- Supplied with 3x AA batteries



Item No	EAN13
980378	4000461075070

PREMIUM STEEL

Torch PS-16050

High light power in a robust weatherproof housing



- Max. brightness 500 Lumen, dimmable
- SOS blinking and strobe function
- Fluorescent on/off rubber button (glows at night)
- Robust weatherproof high quality aircraft aluminum housing
- Toughened glass lens with antireflective coating
- 160 x ø 27/50 mm, 220 g (w/o batteries)
- Supplied with: Hand strap, black spare rubber button, spare rubber sealing ring, 2x CR-123 A batteries

Item No	EAN13
980540	4000461073601

Torch PS-15423

High light power in a handy housing



- Max. brightness 200 Lumen, dimmable
- SOS blinking function
- Fluorescent on/off rubber button (glows at night)
- Robust weatherproof high quality aircraft aluminum housing
- Toughened glass lens with anti-reflective coating
- 155 x ø 20/23 mm, 70 g (w/o batteries)
- Supplied with: Hand strap, black spare rubber button, spare rubber sealing ring, 2x Mignon AA batteries

Item No	EAN13
980541	4000461073618



Premium Steel Features

The Premium Steel torches come with a robust and weatherproof high quality aircraft aluminum housing. Ultra bright LEDs (lifetime approx. 100.000 h) provide high light power and a reliable light source for every purpose.

Torch PS-8923

Weatherproof Torch with Dimmer



- Max. brightness 200 Lumen, SOS blinking function
- Fluorescent on/off rubber button (glows at night)
- Toughened glass lens with anti-reflective coating
- Robust weatherproof high quality aircraft aluminum housing
- 89 x ø 23 mm, 55 g (w/o battery)
- Supplied with: Hand strap, black spare rubber button, spare rubber sealing ring, 1x CR-123A battery

Item No	EAN13
980542	4000461073625

Torch PS-7615

Compact Torch with Dimmer



- Max. brightness 80 Lumen
- SOS blinking and strobe function
- Toughened glass lens with antireflective coating
- Robust weatherproof high quality aircraft aluminum housing
- 76 x ø 13/15 mm, 13 g (w/o battery)
- Supplied with: Key ring, 1x Micro AAA battery

Item No	EAN13
980543	4000461073632

Camping Light PS-15575

Camping Light with many Functions



- Two light modes:
 - As a torch for directional light & as a lantern for ambient light (with clamp to hang-up light)
- Max. brightness 200 Lumen, up to 10 h steady light
- Splash water protected; carabineer
- 156 x ø 56 mm, 165 g (w/o batteries)
- Supplied with: Hand strap, 4x Mignon AA batteries

Item No	EAN13
980544	4000461073649

CUTTERS

Pro.Line Trimmer

Robust Cutter




- Ruler and angle settings, precisely positioned safety cutting head with rotational cutter, metal cutting table.
- Straight cut up to 6 sheets 80 g/cm.
- Cutting length: 33 cm (A4) / 46 cm (A3)
- Table size: 33 x 16,5 cm (A4) / 46 x 16,5 cm (A3)

	Item No	EAN13
A4	102005	4000461052255
A3	102006	4000461052262

Personal Trimmer A4

A4 sized trimmer for home and office




- Transparent pressure ruler with cm/inch scale
- Shielded rotational cutter and non-slip rubber feet.
- For up to 2 sheets 100 g/cm.
- Cutting length: 30 cm
- Table size: 31 x 11,1 cm

	Item No	EAN13
	102054	4000461050237

Action Trimmer 322

A4 sized trimmer for photos, greeting cards and more



- Ruler, angle settings and transparent paper support.
- For up to 5 sheets 80 g/cm.
- Cutting length: 32 cm
- Table size: 33 x 15,5 cm

	Item No	EAN13
	102022	4000461028489

PASSE-PARTOUT CUTTER




Metal cutter for precise cuts of paper, cardboard, photo carton and passe-partouts. Cutting angle variably adjustable from 45° to 90°. Suitable cutting mat see below.

- 2 cutting edges for cm or inch
- Max. paper thickness 7 mm
- Cutting length 60 cm

	Item No	EAN13
	102050	4000461050220

CUTTING MAT 75 cm



Cutting mat for passe-partout cutter.

- Synthetic material in 3 layers
- 3 mm thick
- Length: 75 cm


	Item No	EAN13
	102067	4000461053627

ROLLER CUTTERS – Made in Germany

Extremely robust roller cutter for professional use in photo studios or offices. Cuts paper, cardboard, film and foils. With wooden cutting plate and self-grinding knives and cutting edges. Made in Germany.

Roller Cutter M

Paper Size up to DIN A5



- Marking for A6 to A5 paper size and 9 x 13 to 13 x 18 cm photo size
- Cutting length 36 cm
- Table size 47 x 16,5 cm

Item No	EAN13
102061	4011667001916

i We also offer spare parts for SUSIS roller cutters.

Roller Cutter L

Paper Size up to DIN A2



- Marking for A6 to A2 paper size and 9 x 13 to 30 x 40 cm photo size
- Cutting length 67 cm
- Table size 77,5 x 34,5 cm

Item No	EAN13
102062	4011667001978

Adjustable Material Stop	
Spare Blade	

Roller Cutter XL

Paper Size up to DIN A1



- Marking for A6 to A1 paper size and 9 x 13 to 30 x 40 cm photo size
- Cutting length 100 cm
- Table size 110 x 34,5 cm

Item No	EAN13
102063	4011667001985

Item No	EAN13
102065	4011667001992
102066	4000461051036

ID PHOTO CUTTERS

Massive design with solid mechanics and a wide grip ensure uncomplicated use with small efforts only. Provides precise cuts.



ID Photo Cutter Photo Size 35 x 45 mm

- Ideal for passport ID photos

Item No	EAN13
102000	4000461037818

ID Photo Cutter Photo Size 50 x 50 mm

- Ideal e.g. for job application photos

Item No	EAN13
102001	4000461043031

REPRO STAND KIT H75



Repro Stand H75 Kit (w/o illuminant)

The Repro Stand H75 is ideal for photographing documents, photos and objects. The stand is easy to use with variable height adjustment. The illumination can be positioned in any direction. Bulbs not included.

- Base plate: 48 x 40 cm
- Column height: 82 cm
- Camera distance: min. 22 cm/max. 75 cm
- Weight: 5,5 kg

Item No	EAN13
361420	4000461069307



OPTIONAL ACCESSORIES FOR REPRO STAND KIT H75



Spare Quick-Release Shoe for H75

For the fast and convenient connection of a second camera.

Item No	EAN13
361421	4000461071171



Spiral Energy Saving Lamp E27

- Spiral Energy Saving Lamp 24 W/220 V E27
- Spiral Energy Saving Lamp 32 W/230 V E27

	Item No	EAN13
24 W	373417	4000461040801
32 W	373445	4000461062476

LED TRANSPARENCY VIEWERS



A Light Panel LP 100 LED

- Color Temperature: 5.000 K \pm 270 K
- Illuminated area: 125 x 100 mm
- Number of LEDs: 12
- Power supply: 6x 1,5 V AAA batteries or AC adapter (both optional)
- Supplied with protection cover

Item No	EAN13
361430	4000461071454

B Light Panel LP200 LED

- Color Temperature: 5.000 K \pm 270 K
- Illuminated area: 178 x 127 mm
- Number of LEDs: 20
- Power supply: 6x 1,5 V AA batteries or AC adapter (both optional)
- Supplied with protection cover

Item No	EAN13
361432	4000461071461

C Light Panel LP400 LED

- Color Temperature: 5.000 K \pm 270 K
- Illuminated area: 300 x 200 mm
- Number of LEDs: 60
- Clamp bar
- Supplied with: AC adapter and protection cover

Item No	EAN13
361434	4000461071478



Light Panel LP 1218 LED supplied with AC Adapter

- Color Temperature: 5.000 K
- Illuminated area: 460 x 305 mm
- 2 Clamp bars
- Supplied with protection cover

Item No	EAN13
361438	4000461071485

LED SLIDE VIEWER



SV-5000 LED Slide Viewer

For viewing framed 35 mm slides and film strips. The LED illumination and the magnification window ensure comfortable viewing.

- Color temperature: 5.000K \pm 270 K
- Magnification: 3x
- Light Source: 2x LED 0,6 W
- Power Source: 4x AA batteries (optional) or 220 V AC Adapter 6V/500 mA (optional)

Item No	EAN13
361390	4000461075278

AC ADAPTER FOR LIGHT PANELS



- AC Adapter for LP 100/200 + LED

Adapter	Item No	EAN13
LP100/200	361342	4000461021114

MEMORY CARD STORAGE



Storage Box for SD Memory Card

Transparent hard plastic case with compartment for 1 SD memory card.

Item No	EAN13
901022	4000461068768



Safe for Memory Cards

Rugged box in 2 versions

- A** Multi suitable for SD, MC, MMC, Memory Stick, SIM, XD, Memory Stick Pro Duo
- B** Suitable for 3x SD card

Item No	EAN13
901023	4000461023798
901030	4000461028380



Adventure Memory Card Case

Colorful cases for the storage of memory cards, coins or other small items. Available in the following colors: red, blue, black, orange

- Outer measurements: approx. 6 x 6 cm

Item No	EAN13
440196	4000461047909



Card Reader All in One PC230 USB 2.0

Super compact memory card reader with six slots. Reading/writing of CF/SD/XD/MS/MS Micro/M2/TFlash memory cards. High Speed USB 2.0 data transfer up to 480 Mbit/s; SDHC/SDXC compatible. LED for operation and card use. Supplied with USB/USB Micro cable. Operating systems: Win 8/7, XP, VISTA, Mac ab OS X 9.2, Linux as of 2.4

Item No	EAN13
990322	4000461077418



Card Reader DR Speed USB 2.0

High Speed USB 2.0 card reader with six slots. Reading/writing of the following memory cards: CF/MD/MS/MS PRO/MS2/MS DUO/SD/MICRO SD/SDHC/SDXC/MMC/RC-MMC/SM/xD (with adapter). The simultaneous use of different memory cards is possible. Power source USB/Mini USB cable. Operating systems: Win 7, Vista, XP, Linux as of Kernel 1.6.20, Mac OS 10.x or higher

Item No	EAN13
990326	4000461068690



Card Reader DR Super Speed USB 3.0

Super Speed USB 3.0 card reader with five slots. Reading/writing of the following memory cards: CF/MD/MS PRO/MS2/MS DUO/SD/MICRO SD/SDHC/SDXC/MMC/RC-MMC/SM/xD (with adapter). Operation also possible via USB 2.0. Doubles the performance of USB 2.0. Operating systems: Win 7, Vista, XP, Linux as of Kernel 1.6.20, Mac OS 10.x or higher

Item No	EAN13
990327	4000461068706



PELI Hard Case 0915 Black for SD Cards

- Insert liner absorbs shocks and protects the memory cards, water resistant sealing IPx4.
- Interior measurements: 12,2 x 5,7 x 1,4 cm
- Stores 12x SD, 6x Mini SD, 6x Micro SD card

Item No	EAN13
480560	19428109851



PELI Hard Case 0945 Black for CF Cards

- Insert liner absorbs shocks and protects the memory cards, water resistant sealing IPx4
- Interior measurements: 12,2 x 5,7 x 1,4 cm
- Stores 6x CF card

Item No	EAN13
480561	19428109868

LEXAR WORKFLOW PROFESSIONAL



The modular hub 3.0 allows fast and simultaneous data transfer or storage of images and video films of various memory cards. The hub version Thunderbolt2 /USB 3.0 is based on a new technology – High Speed data transfer and storage of RAW format images, high-resolution pictures, HD, 3D and 4K video films. Data transfer speed is 4x faster than USB 3.0 and 2x faster than Thunderbolt. The hub is future-proof and adopts to your requirements. Fit the hub today with the readers and hard disks. In case of a technology change, you can replace or complement the modules.

Professional Workflow HR1 Hub USB 3.0

Modular hub with 4 bays for Workflow readers SD, CF, XQD, CR1 CFast und CR2 CFast and Workflow hard disks.

Professional Workflow HR2 Hub USB 3.0/Thunderbolt2 Hub

Modular hub with 4 bays for Workflow readers SD, CF, XQD, CR1 CFast und CR2 CFast and Workflow hard disks.

	Item No	EAN13
LEXAR HR1 Workflow Prof. USB 3.0 Hub	990236	650590180196
LEXAR HR2 Workflow Prof. USB 3.0/Thunderbolt 2 Hub	990227	650590185962



LEXAR Workflow Professional Readers USB 3.0/Thunderbolt

Die Workflow readers can be used in the hub USB 3.0 or individually. The CR1 and CR2 CFast readers can be used with the Professional Workflow Hub Version USB3.0/Thunderbolt 2 or individually. The readers are downward compatible to Thunderbolt.

	Item No	EAN13
LEXAR SD Reader for Workflow Prof. USB 3.0 Hub	990237	650590180110
LEXAR CF Reader for Workflow Prof. USB 3.0 Hub	990238	650590180158
LEXAR XQD Reader for Workflow Prof. USB 3.0 Hub	990239	650590180172
LEXAR CR1 CFast Reader for Workflow Prof. USB 3.0 Hub	990232	650590180134
LEXAR CR2 CFast Reader for Workflow Prof. USB 3.0 Hub	990233	650590185931



LEXAR Workflow Professional Hard Disks USB 3.0

Fast storage and backup of large data volumes. The Flash Drive hard disks offer a USB 3.0 data transfer speed – reading up to 450 MB/s, writing up to 245 MB/s. Available with storage capacity 256 GB and 512 GB. LED indicates remaining storage capacity. The Workflow Professional hard disks can be used individually or with the Workflow Professional Hubs.

	Item No	EAN13
LEXAR Hard Disk Workflow 256 GB	990209	650590185993
LEXAR Hard Disk Workflow 512 GB	990210	650590186020



A LEXAR USB 3.0 Multi-Card Reader 25-in-1

All-In-One reader, simple to operate. Data transfer with USB 3.0 speed. Comes in a cutting-edge Pop-Up design. Reads the most current 25 memory card types and allows simultaneous data transfers and downloads between the inserted cards.

B LEXAR Reader Prof. USB 3.0 UDMA

Compact and powerful UDMA dual slot USB reader. Comes in a cutting-edge Pop-Up sign. Compatible with UDMA CF, regular CF, SDHC, SDXC and SD cards.

	Item No	EAN13
LEXAR USB 3.0 Multi-Card Reader 25-in-1	990206	650590173754
LEXAR Lexar Reader Prof. USB 3.0 UDMA	990205	650590165254

WORLD TRAVEL ADAPTER PRO, WHITE

Powerful world adapter for all devices in more than 150 countries.

- Input socket for: Europe (Schuko & 2 pole Euro)
- Input voltage: 100 V - 250 V
- Performance e.g. at 100 V: 1000 W, at 250 V: 2500 W
- Integrated T10A fuse



- Australia, China
- USA
- UK
- Switzerland
- Italy



Item No	EAN13
980360	7640112215652

WORLD USB CHARGER, WHITE

Full power simultaneous dual charging in over 150 countries: Smartphone, Tablet PC, MP3 Player, GPS, video player or game console.

- Input voltage: 100 V - 250 V
- Output: 5 V / 1300 mA shared
- Protection class II



- Australia, China
- USA, Japan
- UK
- Europe



Item No	EAN13
980361	7640112215607

WORLD TO EUROPE SCHUKO ADAPTER, WHITE

Input: for 2- & 3 pole plugs from the listed countries
Output: Europe Schuko plug. Input voltage of the devices you want to connect must match the local power network voltage

- Input voltage: 100 V - 250 V; Power rating max. 16A
- Performance e.g. at 100 V: 1600 W, at 250 V: 4000 W



- Australia, China
- USA, Japan
- UK
- Switzerland
- Italy



Item No	EAN13
980362	7640112215546

WORLD TRAVEL ADAPTER, BLACK

The elegant, compact and safe way to connect your portable appliances worldwide.

- Protected by a replaceable fuse.
- Performance e.g. at 100 V: 250 W, at 250 V: 625 W
- The adapter does not convert voltage



- Australia, China
- USA, Japan
- UK
- Europe



Item No	EAN13
980364	7640112215133

WORLD TRAVEL ADAPTER WITH USB CHARGER

4 plugs to connect in many countries.

- USB adapter for devices with 5 V USB socket.
- Suitable for equipment with ungrounded plugs
- Performance e.g. at 100 V: 250 W, at 250 V: 625 W
- The adapter does not convert voltage
- Integrated fuse T2.5 A



- Australia, China
- USA, Japan
- UK
- Europe



Item No	EAN13
980365	7640112210992

MIDGET USB CAR CHARGER, WHITE

Flexible and compact USB charger. 12V plug for car plug. Charges mobile phones, MP3 players, navigation systems and cameras with USB socket.

- Input voltage: 12 V
- Output voltage: 5 V
- Output current: max. 2.1 A



Item No	EAN13
980366	7640112215232

EURO USB CHARGER, WHITE

Powerful charging of two USB devices simultaneously. Best for iPad, iPhone and other USB devices. Modular use with all SKROSS adapters worldwide.

- Protection class II
- Best for use in countries with Euro plug (more than 120 countries worldwide)
- Input: 100 V - 250 V, USB Output: 5 V/2100 mA shared



- Europe



Item No	EAN13
980367	7640112215805

WORLD TRAVEL ADAPTER PRO USB, WHITE

Safe connection of 2 & 3 pole devices incl. laptop and hair dryer in more than 150 countries.

- Individual powerful dual USB charger.
- USB output: 5 V/1300 mA
- Input voltage: 100 V - 250 V
- Performance e.g. at 100 V: 1000 W, at 250 V: 2500 W
- Integrated fuse T10A



- Australia, China
- USA
- UK
- Switzerland
- Italy



Item No	EAN13
980368	7640112215782

MIDGET DUAL USB CAR CHARGER, WHITE

Handy dual charger for cars, trucks, campers and boats. Great for charging two USB devices simultaneously, using the 12 V car plug

- Input voltage: 12 Volt
- Output voltage: 5 Volt
- Output current: max. 2 A (2x max. 1 A)



Item No	EAN13
980369	7640112218462

GREEN CLEAN COMPRESSED AIR / SENSOR CLEANING / CLEANING TOOLS



GC Compressed Air ECO Booster 400 ml

ECO Booster is a good value compressed air version for computers, photography, and hobby. Removal of dust, fluff, dirt. Including capillary pipe, 400 ml.



GC High Tech Air Power Compressed Air 400 ml

Very efficient compressed air can. Ideal for computer, photography and hobby. 400 ml.



GC High Tech Traveler 150 ml

Especially made for cleaning without contact and residue free in many fields. Efficient compressed air, ideal for traveling, 150 ml.



GC Starterkit HI TECH

Bargain Kit.

Content:

- 2x G-2051, Air Power 400 ml
- 1x V-2000 Blow-out Valve



GC Top Ventil V-2000

Blowout valve especially for cleaning of technical devices. Precise pressure control allows economical use.



GC Sensor Cleaning System – Non Full Frame Size

Gentle cleaning for SLR Cameras with APS-C sensor and up-to-date camera models.

- 1 x High Tech Compressed Air 400 ml, G-2051
- 1 x Mini Vacuum Suction Valve, V-3000
- 3 x Pick Up Tube, SC-4050
- 3 x Wet Foam & Dry Sweeper, SC-4070



GC Sensor Cleaner Wet & Dry – 3 Sets

3 sets of 1 each foam and dry sweeper ideal for sensor cleaning. The applicators are pre-saturated and individually packed – produced in clean room.

GC Sensor Cleaner Wet & Dry – 25 Sets

Same as above, but 25 sets



GC Sensor Cleaning Pick up 3 units per pack

Pick Up Tube for Air Power Cans, especially for sensor cleaning.

Content: 3 pcs in aseptic single packaging



GC Sensor Cleaning Kit Full Frame Size

Gentle Cleaning of full frame digital camera sensors.

Content:

- 1 x High Tech Compressed Air 400 ml, G-2051
- 1 x Mini Vac Suction Valve, V-3000
- 3 x Pick Up Tubes, SC-4050
- 3 x Wet Foam & Dry Sweeper 24 mm, SC-4060



GC Sensor Cleaner Wet & Dry (Full Size) 3 Sets

3 sets of 1 each foam and dry sweeper ideal for sensor cleaning. The applicators are pre-saturated and individually packed – produced in clean room.



GC Sensor Cleaner Wet & Dry (Full Size) 25 Sets

Same as above, but 25 sets



GC Sensor Cleaning Traveler Kit

Ideal for travelling. Gentle cleaning of DSLR camera sensors with compressed air. Choose Wet Foam & Dry Sweeper according to your sensor size.

Content:

- 1x High Tech Compressed Air 150 ml, G-2016
- 1x Mini Vacuum Suction Valve, V-3000
- 2 x Pick Up Tube, SC-4050



GC After Shake Sensor Cleaning

Cleaning system for SLR camera with ultrasonic vibration.


- 5x Wet-Foam Swab & Dry Sweeper
- 1x Clip & Flip loupe SC-0500
- 1x LCD Wipe cleaning tissue, 8 x 8 cm



GC After Shake - WET Foam & DRY Sweeper

Cleaning accessory for After Shake Kit SC-5200. Content: 3 sets Wet Foam & Dry Sweeper, single packaging

	Item No	EAN13
A	GC Compressed Air ECO Booster 400 ml	G-2044 9003308020443
B	GC High Tech Air Power Compressed Air 400 ml	G-2051 9003308020511
C	GC High Tech Traveler 150 ml	G-2016 9003308020160
D	GC Starter Kit HI TECH	GS-2051 9003308120518
E	GC Top Valve V-2000	V-2000 9003308620001
F	GC Sensor Cleaning Kit Non Full Size	SC-4200 9003308542006
G	GC Sensor Cleaner Wet & Dry 3 sets	SC-4070-3 9003308540736
H	GC Sensor Cleaner Wet & Dry 25 sets	SC-4070-25 9003308540729
I	GC Sensor Cleaning Pick Up 3 pcs	SC-4050-3 9003308540538
J	GC Sensor Cleaning Kit Full Frame Size	SC-4000 9003308540002
K	GC Sensor Cleaner Wet & Dry (Full Size) 3 sets	SC-4060-3 9003308540637
L	GC Sensor Cleaner Wet & Dry (Full Size) 25 sets	SC-4060-25 9003308540620
M	GC Sensor Cleaning Traveler Kit	SC-4100 9003308541009
N	GC After Shake Sensor Cleaning	SC-5200 9003308552005
O	GC Wet&Dry, After Shake	SC-5070-3 9003308550735



DÖRR GmbH

Messerschmittstr. 1 D-89231 Neu-Ulm
Fon: +49 731 97037-0 Fax: +49 731 97037-37
info@doerrfoto.de www.doerrfoto.de



DÖRR

Item No 00315

